

# Checkliste der Spinnentiere Deutschlands, der Schweiz, Österreichs, Belgiens und der Niederlande (Arachnida: Araneae, Opiliones, Pseudoscorpiones, Scorpiones, Palpigradi). Version 1. Juni 2002.

(A Service of the "Arachnologische Gesellschaft e.V.")

Remark: The entry "URL" is the name of the webpage below <http://www.spiderling.de.vu/>

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<b>Araneae</b>									
<b>Atypidae</b>									
Atypus affinis Eichwald, 1830									
V   k   kh   bv   vh									
Atypus muralis Bertkau, 1890									
V   k   kh									
Atypus piceus (Sulzer, 1776)									
V   k   2   bv   vh									
<b>Filistatidae</b>									
Pritha nana (Simon, 1868)									
k									
<b>Sicariidae</b>									
Loxosceles rufescens (Dufour, 1820)									
S   only in warmhouses and similar locations									
<b>Scytodidae</b>									
Scytodes thoracica (Latireille, 1802)									
V   k   2   bv   vh									
Scytodes venusta (Thorell, 1890)									
S   only in warmhouses and similar locations									
<b>Leptonetidae</b>									
Proleptoneta italica (Simon, 1907)									
ks									
<b>Pholcidae</b>									
Holocnemus pluchei (Scopoli, 1763)									
N   k									
D: Jäger (1995b), Jäger & Kreuels (1995)									
Pholcus opilionoides (Schrank, 1781)									
V   k   2									
Pholcus phalangioides (Fuesslin, 1775)									
V   k   2   bv   vh									
Psilochorus simoni (Berland, 1911)									
V   k   N   bv   vh									
Physocyclus s.									
A: Kristscher (1969)									
Smeringopus pallidus (Blackwall, 1858)									
S   only in warmhouses and similar locations									
Spermophora senoculata (Dugès, 1836)									
k   bv-S									
only in warmhouses and similar locations									

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<b>Segestriidae</b>									
<i>Segestria bavarica</i> C.L. Koch, 1843	V	k	2	bv	vh			Europe to Azerbaijan	SEG_BAV2.HTM
<i>Segestria florentina</i> (Rossi, 1790)	V	k		bv	vh			Europe to Georgia	SEG_FLO2.HTM
<i>Segestria senoculata</i> (Linnaeus, 1758)	V	k	2	bv	vh			Palaearctic	SEG_SEN2.HTM
<b>Dysderidae</b>									
<i>Dasumia canestrinii</i> (L. Koch, 1876)			kh					Southern Europe	
<i>Dasumia taeniifera</i> Thorell, 1875		k						Italy	
<i>Dysdera crocata</i> C.L. Koch, 1838	V	k	N	bv	vh	D. crocota	A: Deeleman-Reinhold & Deeleman (1988)	Cosmopolitan	DYS_CRO2.HTM
<i>Dysdera erythrina</i> (Walckenaer, 1802)	V	k	kh	bv	vh			Europe to Georgia	DYS_ERY2.HTM
<i>Dysdera hungarica</i> Kulczynski, 1897			2					Eastern Europe to Azerbaijan	
<i>Dysdera longirostris</i> Doblika, 1853			kh					Eastern Europe to Ukraine	
<i>Dysdera ninnii</i> Canestrini, 1868	V	k	kh					Southern Europe to Ukraine	DYS_NIN2.HTM
<i>Harpactea grisea</i> (Canestrini, 1868)		k	ks					Italy, Slovenia	
<i>Harpactea hombergi</i> (Scopoli, 1763)	V	k	2	bv	vh			Europe to Ukraine	HAR_HOM2.HTM
<i>Harpactea lepida</i> (C.L. Koch, 1838)	V	k	2					Europe to Moldavia	HAR_LEP2.HTM
<i>Harpactea rubicunda</i> (C.L. Koch, 1838)	V	k	2	bv		1839		Europe to Georgia	HAR_RUB2.HTM
<i>Harpactea thaleri</i> Alicata, 1966			k					Switzerland, Italy	
<i>Harpactocrates drassoides</i> (Simon, 1882)		k						Western Europe	
<b>Onopidae</b>									
<i>Gamasomorpha loricatula</i> (Roewer, 1942)	V			vh				Europe to Central Asia, North Africa, Canary Is.	GAM_LOR2.HTM
<i>Ischnothyreus velox</i> Jackson, 1908	V			S	only in warmhouses and similar locations			Britain (introduced)	ISC_VEL2.HTM
<i>Oonops domesticus</i> Dalmas, 1916	V	k		bv	vh			Western Europe to Ukraine	OON_DOM2.HTM
<i>Oonops pulcher</i> Templeton, 1835	V	k	2	bv	vh			Europe to Ukraine, North Africa, Tasmania	OON_PUL2.HTM
<i>Tapinesthis inermis</i> (Simon, 1882)	V	k	2					Europe (USA, introduced)	TAP_INE2.HTM
<b>Mimetidae</b>									
<i>Ero aphana</i> (Walckenaer, 1802)	V	k	N	bv	vh		A: Thaler (1999b)	Palaearctic (Queensland, introduced)	ERO_APH2.HTM
<i>Ero cambridgei</i> Kulczynski, 1911	V		N	bv	vh		A: Zulka et al. (1997)	Palaearctic	ERO_CAM2.HTM
<i>Ero furcata</i> (Villers, 1789)	V	k	2	bv	vh			Palaearctic	ERO_FUR2.HTM
<i>Ero tuberculata</i> (De Geer, 1778)	V	k	kh	bv	vh			Palaearctic	ERO_TUB2.HTM

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<b>Eresidae</b>									
<i>Eresus cinnaberinus</i> (Olivier, 1789)	V	k	kh	bv		E. niger		Palearctic	ERE_CIN2.HTM
<i>Eresus sandaliatus</i> (Martini & Goeze, 1778)	V		N	bv	vh	E. niger auct., E. cinnaberinus auct.	A: Mildner & Kofler (1992); sub E. niger	Europe	ERE_SAN2.HTM
<b>Oecobiidae</b>									
<i>Oecobius navus</i> Blackwall, 1859				bv	S	O. annulipes auct.		Cosmopolitan	
<b>Uloboridae</b>									
<i>Hyptiotes paradoxus</i> (C.L. Koch, 1834)	V	k	2	bv	vh			Palearctic	HYP_PAR2.HTM
<i>Uloborus plumipes</i> Lucas, 1846	V	N	N	bv-S	S	only in warmhouses and similar locations	CH: Jonsson (1993), A: Horak & Kropf (1999)	Old World	ULO_PLU2.HTM
<i>Uloborus walckenaerius</i> Latreille, 1806	V	k	2	bv	vh	with parentheses		Palearctic	ULO_WAL2.HTM
<b>Nesticidae</b>									
<i>Nesticus celullanus</i> (Clerck, 1757)	V	k	2	bv	vh	1758		Holarctic	NESCEL2.HTM
<i>Nesticus eremita</i> Simon, 1879	V	k	T					Europe	NESERE2.HTM
<i>Nesticus idriacus</i> Roewer, 1931			T					Austria, Italy	
<b>Theridiidae</b>									
<i>Achaearanea lunata</i> (Clerck, 1757)	V	k	2	bv	vh			Palearctic	ACH_LUN2.HTM
<i>Achaearanea ohlerti</i> (Thorell, 1870)	V	k	2			Theridion o. ohlerti; Theridion o.		Holarctic	ACH_OHL2.HTM
<i>Achaearanea riparia</i> (Blackwall, 1834)	V	k	2	bv	vh			Palearctic	ACH_RIP2.HTM
<i>Achaearanea simulans</i> (Thorell, 1875)	V	k	2	bv	vh			Palearctic	ACH_SIM2.HTM
<i>Achaearanea tabulata</i> Levi, 1980	V		2					Holarctic	ACH_TAB2.HTM
<i>Achaearanea tepidariorum</i> (C.L. Koch, 1841)	V	k	2	bv	vh			Cosmopolitan	ACH_TEP2.HTM
<i>Achaearanea veruculata</i> (Urquhart, 1886)				bv-S		1885, only in warmhouses and similar locations		Australia, New Zealand, England, Belgium	
<i>Anelosimus aulicus</i> (C.L. Koch, 1838)	V			bv				Canary Is., Cape Verde Is. To Azerbaijan	ANE_AUL2.HTM
<i>Anelosimus pulchellus</i> (Walckenaer, 1802)	V			bv				Europe to Russia, North Africa	ANE_PUL2.HTM
<i>Anelosimus vittatus</i> (C.L. Koch, 1836)	V	k	T	bv	vh			Palearctic	ANE_VIT2.HTM
<i>Carniella brignolii</i> Thaler & Steinberger, 1988	V		T	bv				Belgium, Germany, Austria	CAR_BRI2.HTM
<i>Chrysso spiniventris</i> (O. P.-Cambridge, 1869)				S		only in warmhouses and similar locations		Sri Lanka to Japan (Europe, introduced)	
<i>Coleosoma floridanum</i> Banks, 1900	N	N	N	S		only in warmhouses and similar locations	D: Broen et al. (1998), CH: Knotflach (1999), A: Thaler (2000)	Pantropical, greenhouses in Europe	COL_FLO2.HTM
<i>Crustulina guttata</i> (Wider, 1834)	V	k	2	bv	vh			Palearctic	CRU_GUT2.HTM

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Crustulina sticta</i> (O. P.-Cambridge, 1861)	V		T	bv	vh			Holarctic	CRU_STI2.HTM
<i>Dipoena braccata</i> (C.L. Koch, 1841)	V	k	T					Europe, Mediterranean	DIP_BRA2.HTM
<i>Dipoena coracina</i> (C.L. Koch, 1837)	V	k	T	bv	vh			Western Europe to Ukraine	DIP_COR2.HTM
<i>Dipoena erythropus</i> (Simon, 1881)	V	k		bv	vh			Europe	DIP_ERY2.HTM
<i>Dipoena inornata</i> (O. P.-Cambridge, 1861)	V	k	2	bv	vh			Europe	DIP_INO2.HTM
<i>Dipoena melanogaster</i> (C.L. Koch, 1837)	V	k	2	bv	vh			Europe, North Africa to Azerbaijan	DIP_MEL2.HTM
<i>Dipoena nigroreticulata</i> (Simon, 1879)	N		N				D: Finch (1999); A: Riedl (2000)	Europe	DIP_NIG2.HTM
<i>Dipoena prona</i> (Menge, 1868)	V	k	2	bv	vh			Holarctic	DIP_PR22.HTM
<i>Dipoena torva</i> (Thorell, 1875)	V	k	2					Palearctic	DIP_TOR2.HTM
<i>Enoplognatha caricis</i> (Fickert, 1876)	V	k	T	bv	vh	E. tecta		Holarctic	ENO_CAR2.HTM
<i>Enoplognatha latimana</i> Hippa & Oksala, 1982	V	k	2	bv	vh	E. militaris (see Malten 2000)		Holarctic	ENO_LAT2.HTM
<i>Enoplognatha mordax</i> (Thorell, 1875)	V	k	T	bv	vh			Palearctic	ENO_MOR2.HTM
<i>Enoplognatha oelandica</i> (Thorell, 1875)	V	2		bv				Palearctic	ENO_OEL2.HTM
<i>Enoplognatha ovata</i> (Clerck, 1757)	V	k	2	bv	vh			Holarctic	ENO_OVA2.HTM
<i>Enoplognatha serratosignata</i> (L. Koch, 1879)	N	k				E. jacksoni	D: Merkens & Wunderlich (2000)	Palearctic	ENO_SER2.HTM
<i>Enoplognatha testacea</i> Simon, 1884	V							Southern Europe to Central Asia	ENO_TES2.HTM
<i>Enoplognatha thoracica</i> (Hahn, 1833)	V	k	2	bv	vh			Holarctic	ENO_THO2.HTM
<i>Episinus angulatus</i> (Blackwall, 1836)	V	k	2	bv	vh			Europe to Russia	EPI_ANG2.HTM
<i>Episinus maculipes</i> Cavanna, 1876	V	2	N				A: Kulczynski (1905)	England to Algeria	EPI_MAC2.HTM
<i>Episinus truncatus</i> Latreille, 1809	V	k	2	bv	vh			Palearctic	EPI_TRU2.HTM
<i>Euryopis flavomaculata</i> (C.L. Koch, 1836)	V	k	2	bv	vh			Palearctic	EUR_FLA2.HTM
<i>Euryopis laeta</i> (Westring, 1861)	V	k		bv		1862, 1831 (lapsus)		Europe to Tajikistan	EUR_LAE2.HTM
<i>Euryopis quinqueguttata</i> Thorell, 1875	V	k	T					Europe to Turkmenistan	EUR QUI2.HTM
<i>Lasaeola tristis</i> (Hahn, 1833)	V	k	2	bv	vh	Dipoena t.		Europe to Tajikistan	LAS_TRI2.HTM
<i>Latrodectus hasselti</i> Thorell, 1870				bv-S		only in warmhouses and similar locations		Southeast Asia to Australia, New Zealand	
<i>Neottiura bimaculata</i> (Linnaeus, 1767)	V	k	2	bv	vh	Theridion bimaculatum		Holarctic	NEO_BIM2.HTM
<i>Neottiura suaveolens</i> (Simon, 1879)	V	k	T			Theridion s.		Europe, Russia	NEO_SUA2.HTM
<i>Paidiscura pallens</i> (Blackwall, 1834)	V	k	2	bv	vh	Theridion p.		Europe, Russia	PAI_PAL2.HTM
<i>Pholcomma gibbum</i> (Westring, 1851)	V	k	2	bv	vh			Europe, Russia, Ukraine, North Africa	PHO_GIB2.HTM
<i>Robertus arundineti</i> (O. P.-Cambridge, 1871)	V	k	2	bv	vh			Palearctic	ROB_ARU2.HTM
<i>Robertus heydemanni</i> Wiehle, 1965	V		T					Germany, Austria, Romania, Russia	ROBHEY2.HTM
<i>Robertus insignis</i> O. P.-Cambridge, 1907	V							Europe, Russia	ROB_INS2.HTM
<i>Robertus kuehnae</i> Bauchhenss & Uhlenhaut, 1993	V	2	2	bv		R. grasshoffi auct.		Belgium, Switzerland, Germany, Austria	ROB_KUE2.HTM
<i>Robertus lividus</i> (Blackwall, 1836)	V	k	2	bv	vh			Holarctic	ROB_LIV2.HTM

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Robertus lirifer</i> Holm, 1939				T				Iceland, Scandinavia, Russia	
<i>Robertus mediterraneus</i> Eskov, 1987			k					Mediterranean, Russia	
<i>Robertus neglectus</i> (O. P.-Cambridge, 1871)	V	k	2	bv	vh	R. grasshoffi (see Knoflach & Thaler 2000)		Palearctic	ROB_NEG2.HTM
<i>Robertus scoticus</i> Jackson, 1914	V	k	2	bv	vh			Palearctic	ROB_SCO2.HTM
<i>Robertus truncorum</i> (L. Koch, 1872)	V	k	2					Europe	ROB_TRU2.HTM
<i>Robertus ungulatus</i> Vogelsanger, 1944	V	k	2					Palearctic	ROB_UNG2.HTM
<i>Rugathodes bellicosus</i> (Simon, 1873)	V	k	2	bv		Theridion bellicosum		Europe, Russia	RUG_BEL2.HTM
<i>Rugathodes instabilis</i> (O. P.-Cambridge, 1871)	V	k	ks	bv	vh	1870, Theridion instabile		Europe, Russia, Ukraine	RUG_INS2.HTM
<i>Simitidion simile</i> (C.L. Koch, 1836)	V	k	2	bv	vh	Theridion s.		Holarctic	SIM_SIM2.HTM
<i>Steatoda albomaculata</i> (De Geer, 1778)	V	k	2	bv	vh			Cosmopolitan	STE_ALB2.HTM
<i>Steatoda bipunctata</i> (Linnaeus, 1758)	V	k	2	bv	vh			Holarctic	STE_BIP2.HTM
<i>Steatoda castanea</i> (Clerck, 1757)	V		2		vh			Palearctic (Canada, introduced)	STE_CAS2.HTM
<i>Steatoda grossa</i> (C.L. Koch, 1838)	V		2	bv	vh			Cosmopolitan	STE_GRO2.HTM
<i>Steatoda paykulliana</i> (Walckenaer, 1805)		k	T			1806		Europe, Mediterranean to Central Asia	
<i>Steatoda phalerata</i> (Panzer, 1801)	V	k	2	bv	vh			Palearctic	STE_PHA2.HTM
<i>Steatoda triangulosa</i> (Walckenaer, 1802)	V	k	T	bv	vh			Cosmopolitan	STE_TRI2.HTM
<i>Theonoe minutissima</i> (O. P.-Cambridge, 1879)	V	k	2	bv	vh			Europe, Russia, Ukraine	THE_MIN2.HTM
<i>Theonoe sola</i> Thaler & Steinberger, 1988	V		2			first descr. of female: Thaler & Knoflach (2000)		Germany, Austria	THE_SOL2.HTM
<i>Theridion betteni</i> Wiehle, 1960	V	k	2					Palearctic	THE_BET2.HTM
<i>Theridion blackwalli</i> O. P.-Cambridge, 1871	V	k	2	bv	vh			Europe, Russia, Ukraine, North Africa	THE_BLA2.HTM
<i>Theridion boesenbergi</i> Strand, 1904	V	k	2					Europe, Russia, Ukraine	THE_BOE2.HTM
<i>Theridion conigerum</i> Simon, 1914	V		2			with parantheses		Europe	THE_CON2.HTM
<i>Theridion familiare</i> O. P.-Cambridge, 1871	V	k		bv	vh			Palearctic	THE_FAM2.HTM
<i>Theridion hannoniae</i> Denis, 1944	V			bv				Europe, North Africa, Madeira, Canary Is.	THE_HAN2.HTM
<i>Theridion hemerobium</i> Simon, 1914	V	2		bv	vh	T. hemerobius		USA, Canada, Europe	THE_HEM2.HTM
<i>Theridion impressum</i> L. Koch, 1881	V	k	2	bv	vh			Holarctic	THE_IMP2.HTM
<i>Theridion melanurum</i> Hahn, 1831	V	k		bv	vh			Holarctic, Azores	THE_MEL2.HTM
<i>Theridion mystaceum</i> L. Koch, 1870	V	k	2	bv	vh			Palearctic	THE_MYS2.HTM
<i>Theridion nigrovariegatum</i> Simon, 1873	V	k	2					Palearctic	THE_NIG2.HTM
<i>Theridion petraeum</i> L. Koch, 1872		k	2					Holarctic	
<i>Theridion pictum</i> (Walckenaer, 1802)	V	k	2	bv	vh			Holarctic	THE_PIC2.HTM
<i>Theridion pinastri</i> L. Koch, 1872	V	k	2	bv	vh			Palearctic	THE_PIN2.HTM
<i>Theridion refugum</i> Drensky, 1929			2			T. wiehlei auct.		Austria, Balkans, Bulgaria, Greece, Russia	
<i>Theridion sisypium</i> (Clerck, 1757)	V	k	2	bv	vh			Palearctic	THE_SIS2.HTM

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Theridion tinctum</i> (Walckenaer, 1802)	V	k	2	bv	vh	after Yoshida (2001) member of a new genus: <i>Keijia tincta</i>		Holarctic	THE_TIN2.HTM
<i>Theridion uhligi</i> Martin, 1974	V			bv	vh			Europe	THE_UHL2.HTM
<i>Theridion varians</i> Hahn, 1833	V	k	2	bv	vh			Holarctic	THE_VAR2.HTM
<i>Theridion wiehlei</i> Schenkel, 1938	V	N					CH: Lugon-Moulin & Sachot (2000)	Spain, France, Algeria	THE_WIE2.HTM
<b>Theridiosomatidae</b>									
<i>Theridiosoma gemmosum</i> (L. Koch, 1877)	V	k	N	bv	vh		A: Thaler (1993a)	North America, Europe to Georgia	THE_GEM2.HTM
<b>Anapidae</b>									
<i>Comaroma simoni</i> Bertkau, 1889	V	k	T	bv	vh	ex Theridiidae, <i>C. simonii</i>		Europe	COM_SIM2.HTM
<b>Mysmenidae</b>									
<i>Mysmenella jobi</i> (Kraus, 1967)	V	k	T					Palearctic	MYS_JOB2.HTM
<i>Trogloneta granulum</i> Simon, 1922	N		T				D: Sacher & Platen (2001)	Europe	TRO_GRA2.HTM
<b>Linyphiidae</b>									
<i>Abacoproces molestus</i> Thaler, 1973				6				Austria	
<i>Abacoproces saltuum</i> (L. Koch, 1872)	V	k	6		vh			Palearctic	ABA_SAL2.HTM
<i>Acartauchenius scurrilis</i> (O. P.-Cambridge, 1872)	V	k	6	bv	vh			Palearctic	ACA_SCU2.HTM
<i>Agnynphantes expunctus</i> (O. P.-Cambridge, 1875)	V	k	5			Lepthyphantes e.		Palearctic	LEP_EXP2.HTM
<i>Agyneta arietans</i> (O. P.-Cambridge, 1872)	V							Germany, Poland	AGY_ARI2.HTM
<i>Agyneta cauta</i> (O. P.-Cambridge, 1902)	V	k	5	bv	vh			Palearctic	AGY_CAU2.HTM
<i>Agyneta conigera</i> (O. P.-Cambridge, 1863)	V	k	5	bv	vh			Palearctic, Congo	AGY_CON2.HTM
<i>Agyneta decora</i> (O. P.-Cambridge, 1871)	V			bv	vh			Palearctic	AGY_DEC2.HTM
<i>Agyneta ramosa</i> Jackson, 1912	V	k	5	bv	vh			Palearctic	AGY_RAM2.HTM
<i>Agyneta subtilis</i> (O. P.-Cambridge, 1863)	V	k	5	bv	vh			Palearctic	AGY_SUB2.HTM
<i>Allomengea scopigera</i> (Grube, 1859)	V	k		bv	vh			Holarctic	ALL_SCO2.HTM
<i>Allomengea vidua</i> (L. Koch, 1879)	V	k		bv	vh			Holarctic	ALL_VID2.HTM
<i>Anguliphantes angulipalpis</i> (Westring, 1851)	V	k	kh	bv	vh	Lepthyphantes a.		Palearctic	ANG_ANG2.HTM
<i>Anguliphantes monticola</i> (Kulczynski, 1881)	V	k	5			Lepthyphantes m.		Europe	ANG_MON2.HTM
<i>Anguliphantes tripartitus</i> (Miller & Svaton, 1978)	V		N			Lepthyphantes t., Lepthyphantes monticola ad part.	A: Thaler & Buchar (1993)	Germany, Austria, Slovakia	ANG_TRI2.HTM
<i>Aphileta misera</i> (O. P.-Cambridge, 1882)	V		5	bv	vh			Holarctic	APH_MIS2.HTM
<i>Araeoncus anguineus</i> (L. Koch, 1869)	V	k	6					Europe	ARA_ANG2.HTM
<i>Araeoncus crassiceps</i> (Westring, 1861)	V	k	6	bv	vh	1862		Palearctic	ARA_CRA2.HTM

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Araeoncus humilis</i> (Blackwall, 1841)	V	k	6	bv	vh			Palearctic, New Zealand	ARA_HUM2.HTM
<i>Asthenargus bracianus</i> Miller, 1938				N			A: Thaler (1991)	Central, Eastern Europe	
<i>Asthenargus helveticus</i> Schenkel, 1936	V	k	6					Switzerland to Poland	AST_HEL2.HTM
<i>Asthenargus paganus</i> (Simon, 1884)	V	k	6	bv	vh			Palearctic	AST_PAG2.HTM
<i>Asthenargus perforatus</i> Schenkel, 1929	V	k	6					Europe	AST_PER2.HTM
<i>Baryphyma duffeyi</i> (Millidge, 1954)	V			bv	vh			Europe	BAR_DUF2.HTM
<i>Baryphyma maritimum</i> (Crocker & Parker, 1970)	V			bv	vh			Europe	BAR_MAR2.HTM
<i>Baryphyma pratense</i> (Blackwall, 1861)	V	k		bv	vh			Europe to Byelorussia	BAR_PRA2.HTM
<i>Baryphyma trifrons</i> (O. P.-Cambridge, 1863)	V			bv	vh			Holarctic	BAR_TRI2.HTM
<i>Bathyphantes approximatus</i> (O. P.-Cambridge, 1871)	V	k	5	bv	vh			Palearctic	BAT_APP2.HTM
<i>Bathyphantes gracilis</i> (Blackwall, 1841)	V	k	5	bv	vh			Holarctic	BAT_GRA2.HTM
<i>Bathyphantes nigrinus</i> (Westring, 1851)	V	k	5	bv	vh			Palearctic	BAT_NIG2.HTM
<i>Bathyphantes parvulus</i> (Westring, 1851)	V	k		bv	vh			Palearctic	BAT_PAR2.HTM
<i>Bathyphantes setiger</i> F.O. P.-Cambridge, 1894	V	1	5	bv	vh			Palearctic	BAT_SET2.HTM
<i>Bathyphantes similis</i> Kulczynski, 1894	V	k	5					Europe, Russia	BAT_SIM2.HTM
<i>Bathyphantes simillimus</i> (L. Koch, 1879)	V			bv		B. eumenis auct.		Holarctic	BAT_SI22.HTM
<i>Bolephhyphantes index</i> (Thorell, 1856)	V	k	5			Bolyphantes; record from Harz-mountains has to be checked for <i>B. caucasicus</i> (see Ruzicka 2000)		Greenland, Palearctic	BOL_IND2.HTM
<i>Bolyphantes alticeps</i> (Sundevall, 1833)	V	k	5	bv		1832		Palearctic	BOL_ALT2.HTM
<i>Bolyphantes luteolus</i> (Blackwall, 1833)	V	k	5	bv	vh			Palearctic	BOL_LUT2.HTM
<i>Canariphantes nanus</i> (Kulczynski, 1898)				N		Lepthyphantes n.	A: Malicky (1972a)	Eastern Europe	
<i>Caracladus avicula</i> (L. Koch, 1869)	V	k	6			C. aviculus		Switzerland, Germany, Austria, Italy	CAR_AVI2.HTM
<i>Caracladus leberti</i> (Roewer, 1942)			k	6				Western Europe	
<i>Carorita limnaea</i> (Crosby & Bishop, 1927)	V				vh			Holarctic	CAR_LIM2.HTM
<i>Carorita paludosa</i> Duffey, 1971	V				bv			Ireland, Britain, Belgium, Germany	CAR_PAL2.HTM
<i>Caviphantes saxetorum</i> (Hull, 1916)	V	k	6					Holarctic	CAV_SAX2.HTM
<i>Centromerita bicolor</i> (Blackwall, 1833)	V	k	5	bv	vh			Palearctic	CEN_BIC2.HTM
<i>Centromerita concinna</i> (Thorell, 1875)	V	k		bv	vh			Palearctic	CEN_CON2.HTM
<i>Centromerus arcanus</i> (O. P.-Cambridge, 1873)	V	k	5	bv				Palearctic	CEN_ARC2.HTM
<i>Centromerus brevipulvatus</i> Dahl, 1912	V	k	5	bv	vh	C. aequalis auct.		Palearctic	CEN_BRE2.HTM
<i>Centromerus capucinus</i> (Simon, 1884)	V	2	N	bv			A: Malicky (1972a)	Europe, Russia	CEN_CAP2.HTM
<i>Centromerus cavernarum</i> (L. Koch, 1872)	V	k	5					Europe	CEN_CAV2.HTM
<i>Centromerus dilutus</i> (O. P.-Cambridge, 1875)	V	k		bv	vh			Europe, Russia	CEN_DIL2.HTM
<i>Centromerus incilium</i> (L. Koch, 1881)	V	k	5	bv	vh			Palearctic	CEN_INC2.HTM
<i>Centromerus leruthi</i> Fage, 1933	V	k	5	bv	vh			Europe	CEN_LER2.HTM
<i>Centromerus levitarsis</i> (Simon, 1884)	V	k	ks	bv	vh			Palearctic	CEN_LEV2.HTM

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Centromerus minutissimus</i> Merrett & Powell, 1993	N						D: Sacher & Breinl (1999)	England, Germany	CEN_MIN2.HTM
<i>Centromerus obscurus</i> Bösenberg, 1902				N			A: Thaler (1983)	Central Europe	
<i>Centromerus pabulator</i> (O. P.-Cambridge, 1875)	V	k	kh	bv	vh			Europe, Russia, Ukraine	CEN_PAB2.HTM
<i>Centromerus persimilis</i> (O. P.-Cambridge, 1912)	V	k	N	bv	vh		A: Thaler (1983)	Europe, Russia, Ukraine	CEN_PER2.HTM
<i>Centromerus piccolo</i> Weiss, 1996	V					1995		Germany	CEN_PIC2.HTM
<i>Centromerus prudens</i> (O. P.-Cambridge, 1873)	V	k		bv	vh			Palearctic	CEN_PRU2.HTM
<i>Centromerus sellarius</i> (Simon, 1884)	V	k	5					Europe	CEN_SEL2.HTM
<i>Centromerus semiater</i> (L. Koch, 1879)	V	k	N	bv	vh	C. incultus	A: Steinberger & Meyer (1995)	Palearctic	CEN_SEM2.HTM
<i>Centromerus serratus</i> (O. P.-Cambridge, 1875)	V	k		bv	vh			Europe	CEN_SER2.HTM
<i>Centromerus silvicola</i> (Kulczynski, 1887)	V	k	5			C. similis auct.		Eastern Europe, Russia	CEN_SIL2.HTM
<i>Centromerus subalpinus</i> Lessert, 1907	V	k	5					Switzerland, Germany, Austria	CEN_SUB2.HTM
<i>Centromerus subcaecus</i> Kulczynski, 1914	V		5			C. sp. prope subcaecus		Europe	CEN_SU22.HTM
<i>Centromerus succinus</i> (Simon, 1884)			k					Western Mediterranean	
<i>Centromerus sylvaticus</i> (Blackwall, 1841)	V	k	5	bv	vh			Holarctic	CEN_SYL2.HTM
<i>Centromerus unidentatus</i> Miller, 1958	N						D: Blick & Hendricks (1995)	Finland, Germany, Czech Rep.	CEN_UNI2.HTM
<i>Centrophantes roeweri</i> (Wiehle, 1961)				ks				Central Europe	
<i>Ceraticelus bulbosus</i> (Emerton, 1882)					vh	C. sibiricus		Holarctic	
<i>Ceratinella brevipes</i> (Westring, 1851)	V	k	6	bv	vh			Palearctic	CER_BRE2.HTM
<i>Ceratinella brevis</i> (Wider, 1834)	V	k	6	bv	vh			Palearctic	CER_BR22.HTM
<i>Ceratinella major</i> Kulczynski, 1894	V		kh					Palearctic	CER_MAJ2.HTM
<i>Ceratinella scabrosa</i> (O. P.-Cambridge, 1871)	V	k	6	bv	vh			Palearctic	CER_SCA2.HTM
<i>Ceratinella wideri</i> (Thorell, 1871)	V							Palearctic	CER_WID2.HTM
<i>Cinetata gradata</i> (Simon, 1881)	V	k	6	bv		Cineta g.		Europe	CIN_GRA2.HTM
<i>Cnephalocotes obscurus</i> (Blackwall, 1834)	V	k	6	bv	vh			Palearctic	CNE_OBS2.HTM
<i>Collinsia caliginosa nemenziana</i> Thaler, 1980				ks		C. nemenziana		Austria	
<i>Collinsia distincta</i> (Simon, 1884)	V		6	bv	vh	Halorates distinctus		Palearctic	COL_DIS2.HTM
<i>Collinsia inerrans</i> (O. P.-Cambridge, 1885)	V	k	6	bv	vh	1884, Milleriana i.; C. submissa		Palearctic	COL_INE2.HTM
<i>Cresmatoneta mutinensis</i> (Canestrini, 1868)			k					Palearctic	
<i>Dactylopisthes digiticeps</i> (Simon, 1881)				N			A: Kritscher (1958)	Europe	
<i>Diastanillus pecuarius</i> (Simon, 1884)				6				France, Austria	
<i>Dicymbium nigrum</i> (Blackwall, 1834)	V	k	kh	bv	vh	esp. eastern records should be checked for D. n. brevisetosum		Palearctic	DIC_NIG2.HTM
<i>Dicymbium nigrum brevisetosum</i> Locket, 1962	V	k	6	bv	vh	D. nigrum "forma" brevisetosum, D. brevisetosum		Europe	DIC_BRE2.HTM
<i>Dicymbium tibiale</i> (Blackwall, 1836)	V	k	6	bv	vh			Palearctic	DIC_TIB2.HTM

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Diplocentria bidentata</i> (Emerton, 1882)	V	k	6					Holarctic	DIP_BID2.HTM
<i>Diplocentria mediocris</i> (Simon, 1884)	V		6					Europe	DIP_MED2.HTM
<i>Diplocentria rectangulata</i> (Emerton, 1915)	V	k	6			Microcentria r.		Holarctic	DIP_REC2.HTM
<i>Diplocephalus alpinus</i> (O. P.-Cambridge, 1872)			k	6		D. connectens		Italy to Russia, Ukraine	
<i>Diplocephalus caecus</i> Denis, 1952					bv	female unknown		Belgium	
<i>Diplocephalus connatus</i> Bertkau, 1889	V							Palearctic	DIP_CON2.HTM
<i>Diplocephalus crassilobus</i> (Simon, 1884)		2	ks			D. crassiloba; D. "foraminifer" from Tessin (see Hänggi 1999)		Europe	
<i>Diplocephalus cristatus</i> (Blackwall, 1833)	V	k	6	bv	vh			Holarctic, New Zealand, Falkland Is.	DIP_CRI2.HTM
<i>Diplocephalus dentatus</i> Tullgren, 1955	V	2	ks					Northern, Central Europe to Ukraine	DIP_DEN2.HTM
<i>Diplocephalus helleri</i> (L. Koch, 1869)	V	k	6			D. "foraminifer" from Wallis (see. Hänggi 1999)		Europe	DIP_HEL2.HTM
<i>Diplocephalus latifrons</i> (O. P.-Cambridge, 1863)	V	k	6	bv	vh			Europe, Russia	DIP_LAT2.HTM
<i>Diplocephalus lusiscus</i> (Simon, 1872)	V			bv				France, Belgium, Germany, Switzerland	DIP_LUS2.HTM
<i>Diplocephalus pavesii</i> Pesarini, 1996		1				D. aff. procer (see Hänggi 1999)		Italy	
<i>Diplocephalus permixtus</i> (O. P.-Cambridge, 1871)	V	k	6	bv	vh			Palearctic	DIP_PER2.HTM
<i>Diplocephalus picinus</i> (Blackwall, 1841)	V	k	6	bv	vh			Palearctic	DIP_PIC2.HTM
<i>Diplocephalus protuberans</i> (O. P.-Cambridge, 1875)	V	1	6					Europe	DIP_PRO2.HTM
<i>Diplocephalus rostratus</i> Schenkel, 1934			6					Austria	
<i>Diplostyla concolor</i> (Wider, 1834)	V	k	5	bv	vh			Holarctic	DIP_CO22.HTM
<i>Dismodicus bifrons</i> (Blackwall, 1841)	V	k	6	bv	vh			Palearctic	DIS_BIF2.HTM
<i>Dismodicus elevatus</i> (C.L. Koch, 1838)	V	k	6	bv	vh			Palearctic	DIS_ELE2.HTM
<i>Donacochara speciosa</i> (Thorell, 1875)	V	k	ks	bv	vh			Europe to Central Asia	DON_SPE2.HTM
<i>Drapetisca socialis</i> (Sundevall, 1833)	V	k	5	bv	vh	1832		Palearctic	DRA_SOC2.HTM
<i>Drepanotylus uncatus</i> (O. P.-Cambridge, 1873)	V	k	ks	bv	vh	Thorell		Palearctic	DRE_UNC2.HTM
<i>Entelecara acuminata</i> (Wider, 1834)	V	k	6	bv	vh			Holarctic	ENT_ACU2.HTM
<i>Entelecara berolinensis</i> (Wunderlich, 1969)	V					female unknown		Germany	ENT_BER2.HTM
<i>Entelecara congenera</i> (O. P.-Cambridge, 1879)	V	k	6	bv	vh			Palearctic	ENT_CON2.HTM
<i>Entelecara erythropus</i> (Westring, 1851)	V	k	6	bv	vh			Palearctic	ENT_ERY2.HTM
<i>Entelecara flavipes</i> (Blackwall, 1834)	V	k		bv	vh			Europe, Russia	ENT_FLA2.HTM
<i>Entelecara media</i> Kulczynski, 1887			k	6	vh	note: restricted to alpine habitats, no verified record from D, therefore doubtful for NL		Holarctic	
<i>Entelecara omissa</i> O. P.-Cambridge, 1902	V			bv	vh			Britain, Belgium, Germany	ENT_OMI2.HTM
<i>Eperigone eschatologica</i> (Crosby, 1924)	N			bv-S	S	only in warmhouses and similar locations	D: Jäger & Kreuels (1995), Klein et al. (1995)	USA to Colombia (Europe, introduced)	EPE_ESC2.HTM

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Eperigone trilobata</i> (Emerton, 1882)	V	k	N	bv			A: Breuss (1999)	Holarctic	EPE_TRI2.HTM
<i>Erigone arctica</i> (White, 1852)	V			bv	vh	no subspecies used here (see Platnick 2000)		Holarctic	ERI_ARC2.HTM
<i>Erigone atra</i> Blackwall, 1833	V	k	6	bv	vh			Holarctic	ERI_ATR2.HTM
<i>Erigone autumnalis</i> Emerton, 1882			k					USA to Panama, West Indies, Azores, Europe	
<i>Erigone cristatopalpus</i> Simon, 1884	N	k	6			E. cristatopalpus	D: Muster & Leipold (1999)	Europe	ERI_CRI2.HTM
<i>Erigone dentigera</i> O. P.-Cambridge, 1874	V	k	6		vh	E. capra		Holarctic	ERI_DE22.HTM
<i>Erigone dentipalpis</i> (Wider, 1834)	V	k	6	bv	vh			Holarctic	ERI_DEN2.HTM
<i>Erigone jaegeri</i> Baehr, 1984	V	k	N			E. jägeri	A: Thaler (1993b)	Central Europe, China	ERI_JAE2.HTM
<i>Erigone longipalpis</i> (Sundevall, 1830)	V			bv	vh			Palearctic	ERI_LON2.HTM
<i>Erigone promiscua</i> (O. P.-Cambridge, 1873)	V			bv		1872; German records are doubtful and should be verified		Europe, Russia	ERI_PRO2.HTM
<i>Erigone remota</i> L. Koch, 1869	V	k	6					Palearctic	ERI_REM2.HTM
<i>Erigone tirolensis</i> L. Koch, 1872	V	k	6					Holarctic	ERI_TIR2.HTM
<i>Erigonella hiemalis</i> (Blackwall, 1841)	V	k	6	bv	N		NL: Tutelaers (2001b)	Palearctic	ERI_HIE2.HTM
<i>Erigonella ignobilis</i> (O. P.-Cambridge, 1871)	V	k	6	bv	vh			Palearctic	ERI_IGN2.HTM
<i>Erigonella subelevata</i> (L. Koch, 1869)	V	k	6			E. s. subelevata		Europe	ERI_SUB2.HTM
<i>Erigonoplus globipes</i> (L. Koch, 1872)	V	k	6	bv				Palearctic	ERI_GLO2.HTM
<i>Erigonoplus jarmilae</i> (Miller, 1943)				N		Erigonopterna j.	A: Malicky (1972a)	Austria, Czech Rep., Russia	
<i>Erigonoplus justus</i> (O. P.-Cambridge, 1875)	N			bv		first descr. of female: Thaler & Staudt (2001)	D: Thaler & Staudt (2001)	Belgium, France, Germany	ERI_JUS2.HTM
<i>Evansia merens</i> O. P.-Cambridge, 1900	V	k	6					Palearctic	EVA_MER2.HTM
<i>Floronia bucculenta</i> (Clerck, 1757)	V	k	5	bv	vh			Europe	FLO_BUC2.HTM
<i>Formiphantes lephyphantiformis</i> (Strand, 1907)	V	k	5	bv		Lepthyphantes l., lephyphantiformis		Europe	FOR_LEP2.HTM
<i>Frontinellina frutetorum</i> (C.L. Koch, 1834)	V	k	5	bv				Palearctic	FRO_FRU2.HTM
<i>Glypesis cottonae</i> (La Touche, 1945)	V			bv				Palearctic	GLY_COT2.HTM
<i>Glypesis servulus</i> (Simon, 1881)	V	k	6	bv	vh			Europe	GLY_SER2.HTM
<i>Glypesis taoplesius</i> Wunderlich, 1969	V							Germany, Hungary	GLY_TAO2.HTM
<i>Gnathonarium dentatum</i> (Wider, 1834)	V	k	6	bv	vh			Palearctic	GNA_DEN2.HTM
<i>Gonatium ensipotens</i> (Simon, 1881)	V							Southwestern Europe	GON_ENS2.HTM
<i>Gonatium hilare</i> (Thorell, 1875)	V	k	6					Palearctic	GON_HIL2.HTM
<i>Gonatium paradoxum</i> (L. Koch, 1869)	V	k	6		vh			Palearctic	GON_PAR2.HTM
<i>Gonatium rubellum</i> (Blackwall, 1841)	V	k	6	bv	vh			Palearctic	GON_RUB2.HTM
<i>Gonatium rubens</i> (Blackwall, 1833)	V	k	6	bv	vh			Palearctic	GON_RU22.HTM
<i>Gongylidiellum edentatum</i> Miller, 1951	V		6					Central, southern Europe	GON_EDE2.HTM
<i>Gongylidiellum latebricola</i> (O. P.-Cambridge, 1871)	V	k	6	bv	vh			Palearctic	GON_LAT2.HTM

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Gongylidiellum murcidum</i> Simon, 1884	V	k	6	bv	vh			Palearctic	GON_MUR2.HTM
<i>Gongylidiellum vivum</i> (O. P.-Cambridge, 1875)	V	k		bv	vh			Palearctic	GON_VIV2.HTM
<i>Gongylidium rufipes</i> (Linnaeus, 1758)	V	k	6	bv	vh	Sundevall		Palearctic	GON_RUF2.HTM
<i>Halorates reprobus</i> (O. P.-Cambridge, 1879)	V			bv				Europe, Russia	HAL_REP2.HTM
<i>Helophora insignis</i> (Blackwall, 1841)	V	k	5	bv	vh			Holarctic	HEL_INS2.HTM
<i>Heterotrichoncus pusillus</i> (Miller, 1958)				N			A: Malicky (1972a)	Austria, Czech Rep., Slovakia	
<i>Hilaira excisa</i> (O. P.-Cambridge, 1871)	V	k	5	bv		1870		Europe, Russia	HIL_EXC2.HTM
<i>Hilaira herniosa</i> (Thorell, 1875)				k				Holarctic	
<i>Hilaira montigena</i> (L. Koch, 1872)	V	k	5			1873		Palearctic	HIL_MON2.HTM
<i>Hilaira tetrica</i> Kulczynski, 1915	V	k	5			H. tetrica tetrica		Palearctic	HIL_TAT2.HTM
<i>Hybocoptus corrugis</i> (O. P.-Cambridge, 1875)					vh	H. decollatus		Europe	
<i>Hylaphantes graminicola</i> (Sundevall, 1830)	V	k	N	bv	vh	1829, Eriogonidium g.<i>e</i>	A: Steinberger & Thaler (1994)	Palearctic	HYL_GRA2.HTM
<i>Hylaphantes nigritus</i> (Simon, 1881)	V	k	N	bv	vh		A: Steinberger & Thaler (1994)	Palearctic	HYL_NIG2.HTM
<i>Hypomma bituberculatum</i> (Wider, 1834)	V	k	6	bv	vh			Palearctic	HYP_BIT2.HTM
<i>Hypomma cornutum</i> (Blackwall, 1833)	V	k	6	bv	vh			Palearctic	HYP_COR2.HTM
<i>Hypomma fulvum</i> (Bösenberg, 1902)	V	k		bv	vh			Palearctic	HYP_FUL2.HTM
<i>Hypsistes jacksoni</i> (O. P.-Cambridge, 1902)	V			bv	vh			Holarctic	HYP_JAC2.HTM
<i>Hypocephalus dahli</i> (Lessert, 1909)	V		6					Europe	HYP_DAH2.HTM
<i>Hypocephalus paulae</i> (Simon, 1918)			k					France, Switzerland, Italy	
<i>Improphanes complicatus</i> (Emerton, 1882)			k	5		Leptyphantes c.		Holarctic	
<i>Improphanes decolor</i> (Westring, 1861)	V					Leptyphantes d., 1862		Europe, North Africa	IMP_DEC2.HTM
<i>Improphanes geniculatus</i> (Kulczynski, 1898)	V		N			Leptyphantes g.	A: Malicky (1972b)	Europe, Russia	IMP_GEN2.HTM
<i>Improphanes improbulus</i> (Simon, 1929)	V		N			Leptyphantes i.	A: Ruzicka (1996)	Palearctic	IMP_IMP2.HTM
<i>Improphanes nitidus</i> (Thorell, 1875)	V	k	5			Leptyphantes n.		Europe	IMP_NIT2.HTM
<i>Incestophantes crucifer</i> (Menge, 1866)	V	k	5	bv		Bolyphantes c., Leptyphantes c.		Palearctic	LEP_CRU2.HTM
<i>Incestophantes frigidus</i> (Simon, 1884)			k			Leptyphantes f.		Europe	
<i>Incestophantes kotulai</i> (Kulczynski, 1904)			k	5		Leptyphantes k., 1905		Central Europe	
<i>Jacksonella falconeri</i> (Jackson, 1908)	V	k	6	bv	vh			Europe	JAC_FAL2.HTM
<i>Janetschekia monodon</i> (O. P.-Cambridge, 1872)	V	k	6					Switzerland, Germany, Austria, Italy	JAN_MON2.HTM
<i>Kaestneria dorsalis</i> (Wider, 1834)	V	k	5	bv	vh			Palearctic	KAE_DOR2.HTM
<i>Kaestneria pullata</i> (O. P.-Cambridge, 1863)	V	k	N	bv	vh		A: Thaler (1983)	Holarctic	KAE_PUL2.HTM
<i>Kratochviliella bicapitata</i> Miller, 1938	V		N			Pelecopsis pilawskii	A: Wunderlich (1972), Steinberger & Thaler (1994)	Europe	KRA_BIC2.HTM
<i>Labulla thoracica</i> (Wider, 1834)	V	k	5	bv	vh			Europe, Russia	LAB_THO2.HTM
<i>Lasiargus hirsutus</i> (Menge, 1869)	V		ks					Palearctic	LAS_HIR2.HTM

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Lepthyphantes antroniensis</i> Schenkel, 1933	N	k	5			remains in <i>Lepthyphantes</i> s.lat. for the moment	D: Muster (1999), Sacher (1999)	Palearctic	LEP_ANT2.HTM
<i>Lepthyphantes arenicola</i> Denis, 1964		2				Palliduphantes a., see Saaristo & Tanasevitch (2001)		France, Switzerland	
<i>Lepthyphantes beckeri</i> Wunderlich, 1973	V					remains in <i>Lepthyphantes</i> s.lat. for the moment		Germany	LEP_BEC2.HTM
<i>Lepthyphantes cornutus</i> Schenkel, 1927		k	5			remains in <i>Lepthyphantes</i> s.lat. for the moment		Palearctic	
<i>Lepthyphantes ericaeus</i> (Blackwall, 1853)	V			bv	vh	Palliduphantes e., see Saaristo & Tanasevitch (2001)		Europe, Russia	LEP_ERI2.HTM
<i>Lepthyphantes insignis</i> O. P.-Cambridge, 1913	V	2	5	bv	vh	Palliduphantes i., see Saaristo & Tanasevitch (2001)		Europe	LEP_INS2.HTM
<i>Lepthyphantes keyserlingi</i> (Ausserer, 1867)	V	k	5			remains in <i>Lepthyphantes</i> s.lat. for the moment		Palearctic	LEP_KEY2.HTM
<i>Lepthyphantes kolosvaryi</i> Capriacco, 1936		N				Bolyphantes k. nov. comb. after van Helsdingen et al. (2001)	CH: van Helsdingen et al. (2001)	Italy	
<i>Lepthyphantes leporosus</i> (Ohlert, 1865)	V	k	5	bv	vh	<i>Lepthyphantes</i> s.str. !		Holarctic, Chile	LEP_LEP2.HTM
<i>Lepthyphantes minutus</i> (Blackwall, 1833)	V	k	5	bv	vh	<i>Lepthyphantes</i> s.str. !		Holarctic	LEP_MIN2.HTM
<i>Lepthyphantes montanus</i> Kulczynski, 1898	V		5			Palliduphantes m., see Saaristo & Tanasevitch (2001)		Germany, Austria, Italy	LEP_MON2.HTM
<i>Lepthyphantes nodifer</i> Simon, 1884	V	k	5			remains in <i>Lepthyphantes</i> s.lat. for the moment		Europe	LEP_NOD2.HTM
<i>Lepthyphantes notabilis</i> Kulczynski, 1887	V	k	5			remains in <i>Lepthyphantes</i> s.lat. for the moment		Central Europe	LEP_NOT2.HTM
<i>Lepthyphantes pallidus</i> (O. P.-Cambridge, 1871)	V	k	5	bv	vh	Palliduphantes p., see Saaristo & Tanasevitch (2001)		Palearctic	LEP_PAL2.HTM
<i>Lepthyphantes pillichi</i> Kulczynski, 1915			kh			Palliduphantes p., see Saaristo & Tanasevitch (2001)		Central Europe	
<i>Leptorhoptrum robustum</i> (Westring, 1851)	V	k	5	bv	vh			Holarctic	LEP_ROB2.HTM
<i>Leptothrix hardyi</i> (Blackwall, 1850)	V			bv	vh			Palearctic	LEP_HAR2.HTM
<i>Lessertia dentichelis</i> (Simon, 1884)	V	2	N	bv	vh		A: Kindl-Stamatopoulos (2001)	Europe, Canary Is., Madeira, Canada, New Zealand	LES_DEN2.HTM
<i>Lessertinella kulczynskii</i> (Lessert, 1910)	V	k	6			1909, 1907		Switzerland, Germany, Austria, Italy	LES_KUL2.HTM
<i>Linyphia alpicola</i> van Helsdingen, 1969	V	k	5					Central Europe	LIN_ALP2.HTM
<i>Linyphia hortensis</i> Sundevall, 1830	V	k	5	bv	vh	1829		Palearctic	LIN_HOR2.HTM
<i>Linyphia tenuipalpis</i> Simon, 1884	V	2		bv	vh			Europe to Central Asia	LIN_TEN2.HTM
<i>Linyphia triangularis</i> (Clerck, 1757)	V	k	5	bv	vh			Palearctic	LIN_TRI2.HTM

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Lophomma punctatum</i> (Blackwall, 1841)	V	k	ks	bv	vh			Palearctic	LOP_PUN2.HTM
<i>Macrargus carpenteri</i> (O. P.-Cambridge, 1894)	V	k	5	bv	vh			Palearctic	MAC_CAR2.HTM
<i>Macrargus rufus</i> (Wider, 1834)	V	k	5	bv	vh			Palearctic	MAC_RUF2.HTM
<i>Mansuphantes arciger</i> (Kulczynski, 1882)	V					Lepthyphantes a.		Europe	MAN_ARC2.HTM
<i>Mansuphantes aridus</i> (Thorell, 1875)		k	5			Lepthyphantes a.		Switzerland, Austria, Italy	
<i>Mansuphantes fragilis</i> (Thorell, 1875)	V	k	5			Lepthyphantes f.		Europe	MAN_FRA2.HTM
<i>Mansuphantes mansuetus</i> (Thorell, 1875)	V	k	5			Lepthyphantes m.		Palearctic	MAN_MAN2.HTM
<i>Mansuphantes pseudoarciger</i> (Wunderlich, 1985)		k				Lepthyphantes p.		Switzerland	
<i>Mansuphantes simoni</i> (Kulczynski, 1894)		k				Lepthyphantes s.		Western Europe	
<i>Maro lehtineni</i> Saaristo, 1971	V		5	bv				Europe	MAR_LEH2.HTM
<i>Maro lepidus</i> Casimir, 1961	V	2	ks	bv				Europe	MAR_LEP2.HTM
<i>Maro minutus</i> O. P.-Cambridge, 1906	V	k	5	bv	vh			Palearctic	MAR_MIN2.HTM
<i>Maro sublestus</i> Falconer, 1915	V	k		bv				Palearctic	MAR_SUB2.HTM
<i>Maso gallicus</i> Simon, 1894	V	k		bv	vh			Europe to Azerbaijan	MAS_GAL2.HTM
<i>Maso sundevalli</i> (Westring, 1851)	V	k	kh	bv	vh			Holarctic	MAS_SUN2.HTM
<i>Mecopisthes latinus</i> Millidge, 1978		k						Switzerland, Italy	
<i>Mecopisthes peusi</i> Wunderlich, 1972	V		N				A: Malicky (1972b), Wunderlich (1972)	Europe	MEC_PEU2.HTM
<i>Mecopisthes silus</i> (O. P.-Cambridge, 1872)	V	k	6					Europe, Russia	MEC_SIL2.HTM
<i>Mecynargus brocchus</i> (L. Koch, 1872)		k	6			1873, Raebothorax b.		Europe	
<i>Mecynargus foveatus</i> (Dahl, 1912)	V	1	6					Central Europe to Ukraine	MEC_FOV2.HTM
<i>Mecynargus morulus</i> (O. P.-Cambridge, 1873)	V		6					Greenland, Palearctic	MEC_MOR2.HTM
<i>Mecynargus paetus</i> (O. P.-Cambridge, 1875)	V	k	6	vh		Rhaebothorax p.		Holarctic	MEC_PAE2.HTM
<i>Megalephyphantes collinus</i> (L. Koch, 1872)	V	k	5			Lepthyphantes c.		Palearctic	MEG_COL2.HTM
<i>Megalephyphantes nebulosus</i> (Sundevall, 1830)	V	k	5	bv	vh	Lepthyphantes n.		Holarctic	MEG_NEB2.HTM
<i>Megalephyphantes pseudocollinus</i> Saaristo, 1997			N			Lepthyphantes collinus ad part.	A: Saaristo (1997)	Finland, Austria,	
<i>Meioneta affinis</i> (Kulczynski, 1898)	V	k	5	bv	vh	M. beata		Palearctic	MEI_AFF2.HTM
<i>Meioneta alpica</i> (Tanasevitch, 2000)			N			Agyneta a.	A: Tanasevitch (2000)	Austria	
<i>Meioneta equestris</i> (L. Koch, 1881)	V	k	5					Central Europe, Ukraine	MEI_EQU2.HTM
<i>Meioneta fuscipalpa</i> (C.L. Koch, 1836)	V	k	kh	bv		M. fuscipalpis, M. fuscipalpus		Palearctic	MEI_FUS2.HTM
<i>Meioneta gulosa</i> (L. Koch, 1869)	V	k	5					Palearctic	MEI_GUL2.HTM
<i>Meioneta innotabilis</i> (O. P.-Cambridge, 1863)	V	k	5	bv	vh			Europe, Russia	MEI_INN2.HTM
<i>Meioneta mollis</i> (O. P.-Cambridge, 1871)	V	k	5	bv	vh			Palearctic	MEI_MOL2.HTM
<i>Meioneta mossica</i> Schikora, 1993	V							Britain to Russia	MEI_MOS2.HTM
<i>Meioneta nigripes</i> (Simon, 1884)		k	5					Canada, Greenland, Palearctic	
<i>Meioneta orites</i> (Thorell, 1875)	N	k	ks				D: Muster (2000)	Central Europe	MEI_ORI2.HTM

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Meioneta ressli</i> Wunderlich, 1973	N	k	5				D: Muster (1999)	Austria	MEI_RES2.HTM
<i>Meioneta rurestris</i> (C.L. Koch, 1836)	V	k	5	bv	vh			Palearctic	MEI_RUR2.HTM
<i>Meioneta saxatilis</i> (Blackwall, 1844)	V	k	kh	bv	vh			Europe, Russia	MEI_SAX2.HTM
<i>Meioneta simplicitarsis</i> (Simon, 1884)	V	k	N	bv			A: Thaler (1983)	Europe, Russia	MEI_SIM2.HTM
<i>Metapanamomops kaestneri</i> (Wiehle, 1961)	V							Germany to Ukraine	MET_KAE2.HTM
<i>Metopobactrus nadigi</i> Thaler, 1976		k	6					Switzerland, Austria, Italy	
<i>Metopobactrus nodicornis</i> Schenkel, 1927		k	6					Switzerland, Austria	
<i>Metopobactrus prominulus</i> (O. P.-Cambridge, 1872)	V	k	6	bv	vh			Holarctic	MET_PRO2.HTM
<i>Metopobactrus schenkeli</i> Thaler, 1976		k						Switzerland, Italy	
<i>Micrargus alpinus</i> Relys & Weiss, 1997	N		6				D: Muster & Leipold (2001), Muster (2001)	Austria	MIC_ALP2.HTM##
<i>Micrargus apertus</i> (O. P.-Cambridge, 1871)	V		6	bv				Palearctic	MIC_APE2.HTM
<i>Micrargus georgescuae</i> Millidge, 1976	V	k	6					Europe	MIC_GEO2.HTM
<i>Micrargus herbigradus</i> (Blackwall, 1854)	V	k	6	bv	vh			Palearctic	MIC_HER2.HTM
<i>Micrargus laudatus</i> (O. P.-Cambridge, 1881)		k		bv		no verified record is known from Germany		Europe	
<i>Micrargus subaequalis</i> (Westring, 1851)	V	k	6	bv	vh			Palearctic	MIC_SU22.HTM
<i>Microctenonyx subitaneus</i> (O. P.-Cambridge, 1875)	V	k	6	bv	vh			Holarctic	MIC_SU32.HTM
<i>Microlinyphia impigra</i> (O. P.-Cambridge, 1871)	V	k	ks	bv	vh			Holarctic	MIC_IMP2.HTM
<i>Microlinyphia pusilla</i> (Sundevall, 1830)	V	k	5	bv	vh	1829		Holarctic	MIC_PUS2.HTM
<i>Microneta viaria</i> (Blackwall, 1841)	V	k	5	bv	vh			Holarctic	MIC_VIA2.HTM
<i>Midia midas</i> (Simon, 1884)	V					Lepthyphantes m.		Europe	MID_MID2.HTM
<i>Minicia candida</i> Denis, 1946			N				A: Thaler (2000)	Europe	
<i>Minicia marginella</i> (Wider, 1834)	V	k	6	bv	vh			Palearctic	MIN_MAR2.HTM
<i>Minyriolus medusa</i> (Simon, 1881)			6			Pelecopsis m.		Europe	
<i>Minyriolus pusillus</i> (Wider, 1834)	V	k	6	bv	vh			Palearctic	MIN_PUS2.HTM
<i>Mioxena blanda</i> (Simon, 1884)	V	k	6	bv	vh			Europe, Russia	MIO_BLA2.HTM
<i>Moebelia penicillata</i> (Westring, 1851)	V	k	6	bv	vh			Palearctic	MOE_PEN2.HTM
<i>Monocephalus castaneipes</i> (Simon, 1884)	V	k	6	bv				Europe	MON_CAS2.HTM
<i>Monocephalus fuscipes</i> (Blackwall, 1836)	V	k	N	bv	vh		A: Steinberger & Meyer (1993)	Europe	MON_FUS2.HTM
<i>Mughiphantes armatus</i> (Kulczynski, 1905)		k	5			1904, Lepthyphantes a.		Central Europe	
<i>Mughiphantes baebleri</i> (Lessert, 1910)		k	5			Lepthyphantes b.		Central Europe	
<i>Mughiphantes handschini</i> (Schenkel, 1919)		k				Lepthyphantes h.		Central Europe	
<i>Mughiphantes mughi</i> (Fickert, 1875)	V	k	5			Lepthyphantes m.		Europe, Russia	MUG_MUG2.HTM
<i>Mughiphantes pulcher</i> (Kulczynski, 1881)	V	k	5			Lepthyphantes p.		Central Europe	MUG_PUL2.HTM
<i>Mughiphantes pulcherooides</i> (Wunderlich, 1985)		k				Lepthyphantes p.		Italy	
<i>Mughiphantes rupium</i> (Thaler, 1984)	N		kh			Lepthyphantes r.	D: Muster (2000)	Austria	MUG_RUP2.HTM

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Mughiphantes severus</i> (Thaler, 1990)				5		Leptyphantes s.		Austria	
<i>Mughiphantes styriacus</i> (Thaler, 1984)				kh		Leptyphantes s.		Austria	
<i>Mughiphantes triglavensis</i> (Miller & Polenec, 1975)				ks		Leptyphantes t.		Balkans	
<i>Mughiphantes variabilis</i> (Kulczynski, 1887)	V	k	5			Leptyphantes v.		Central Europe	MUG_VAR2.HTM
<i>Mycula mossakowskii</i> Schikora, 1994	V		N				A: Thaler (2000)	Germany, Austria, Italy	MYC_MOS2.HTM
<i>Nematogmus sanguinolentus</i> (Walckenaer, 1842)	V	k	kh	bv	vh	1837, 1841, Cnephalocotes s.		Palearctic	NEM_SAN2.HTM
<i>Neriene clathrata</i> (Sundevall, 1830)	V	k	5	bv	vh	1829, Linyphia c.		Holarctic	NER_CLA2.HTM
<i>Neriene emphana</i> (Walckenaer, 1842)	V	k	5	bv	vh	1837, 1841, Linyphia e.		Palearctic	NER_EMP2.HTM
<i>Neriene furtiva</i> (O. P.-Cambridge, 1871)	V	k		bv	vh	1870, Linyphia f.		Europe, North Africa, Russia, Ukraine	NER_FUR2.HTM
<i>Neriene hammeni</i> (van Helsdingen, 1963)	V			bv	vh	Linyphia h.		Palaearctic	NER_HAM2.HTM
<i>Neriene montana</i> (Clerck, 1757)	V	k	5	bv	vh	Linyphia m.		Holarctic	NER_MON2.HTM
<i>Neriene peltata</i> (Wider, 1834)	V	k	5	bv	vh	Linyphia p.		Greenland, Palearctic	NER_PEL2.HTM
<i>Neriene radiata</i> (Walckenaer, 1842)	V	k	5	bv	vh	1841, N. marginata, Linyphia r.		Holarctic	NER_RAD2.HTM
<i>Notioscopus sarcinatus</i> (O. P.-Cambridge, 1872)	V	k	N	bv			A: Rupp (1999)	Palearctic	NOT_SAR2.HTM
<i>Obscuriphantes obscurus</i> (Blackwall, 1841)	V	k	5	bv	vh	Leptyphantes o.		Palearctic	LEP_OBS2.HTM
<i>Oedothorax agrestis</i> (Blackwall, 1853)	V	k	6	bv	vh			Palearctic	OED_AGR2.HTM
<i>Oedothorax apicatus</i> (Blackwall, 1850)	V	k	6	bv	vh			Palearctic	OED_API2.HTM
<i>Oedothorax fuscus</i> (Blackwall, 1834)	V	k	6	bv	vh			Europe, North Africa, Azores, Russia	OED_FUS2.HTM
<i>Oedothorax gibbifer</i> (Kulczynski, 1882)			6					Europe, Russia	
<i>Oedothorax gibbosus</i> (Blackwall, 1841)	V	k	6	bv	vh			Palearctic	OED_GIB2.HTM
<i>Oedothorax retusus</i> (Westring, 1851)	V	k	6	bv	vh			Palearctic	OED_RET2.HTM
<i>Oreonetides glacialis</i> (L. Koch, 1872)	V	k	5			Montitextrix g.		Europe	ORE_GLA2.HTM
<i>Oreonetides quadridentatus</i> (Wunderlich, 1972)	V		5					Germany, Austria	ORE_QUA2.HTM
<i>Oreonetides vaginatus</i> (Thorell, 1872)	V	k	5	bv				Holarctic	ORE_VAG2.HTM
<i>Oryphantes angulatus</i> (O. P.-Cambridge, 1881)	V			bv		Leptyphantes a.		Palearctic	ORY_ANG2.HTM
<i>Ostearius melanopygius</i> (O. P.-Cambridge, 1879)	V	k	5	bv	vh			Cosmopolitan	OST_MEL2.HTM
<i>Panamomops affinis</i> Miller & Kratochvíl, 1939	V		6					Germany, Austria, Czech Rep., Slovakia	PAN_AFF2.HTM
<i>Panamomops fagei</i> Miller & Kratochvíl, 1939	V							Europe	PAN_FAG2.HTM
<i>Panamomops inconspicuus</i> (Miller & Valesova, 1964)	V	k	N			P. inconspicua	A: Malicky (1972b)	Europe	PAN_INC2.HTM
<i>Panamomops latifrons</i> Miller, 1959				N		P. beieri	A: Kritscher (1968)	Czech Rep., Austria, Balkans	
<i>Panamomops mengei</i> Simon, 1926	V	k			vh			Palearctic	PAN_MEN2.HTM
<i>Panamomops palmgreni</i> Thaler, 1973	N	k	6				D: Muster & Leipold (2001), Muster (2001)	Austria	#PAN_PAL2.HTM
<i>Panamomops sulcifrons</i> (Wider, 1834)	V	k	N	bv	vh		A: Breuss (1996)	Europe, Russia	PAN_SUL2.HTM
<i>Panamomops tauricornis</i> (Simon, 1881)	V	k	6					Palearctic	PAN_TAU2.HTM

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Parapelecopsis nemoraloides</i> (O. P.-Cambridge, 1884)	V			bv	vh	P. nemoraloides., Pelecopsis n., Pelecopsis mediocris auct.		Europe	PAR_NEM2.HTM
<i>Parapelecopsis nemoralis</i> (Blackwall, 1841)	V	k	kh	bv	vh	Pelecopis n.		Europe, Russia	PAR_NE22.HTM
<i>Pelecopis alpica</i> Thaler, 1991			6			P. alpicus		Austria	
<i>Pelecopis elongata</i> (Wider, 1834)	V	k	6	bv	vh			Europe, Russia	PEL_ELO2.HTM
<i>Pelecopis mengei</i> (Simon, 1884)	V	k	6		vh			Holarctic	PEL_MEN2.HTM
<i>Pelecopis parallela</i> (Wider, 1834)	V	k	6	bv	vh			Palearctic	PEL_PAR2.HTM
<i>Pelecopis radicicola</i> (L. Koch, 1872)	V	k	6	bv	vh	1875		Palearctic	PEL_RAD2.HTM
<i>Peponocranium ludicum</i> (O. P.-Cambridge, 1861)	V			bv	vh			Europe, Russia	PEP_LUD2.HTM
<i>Peponocranium orbiculatum</i> (O. P.-Cambridge, 1882)	V	k	ks	bv				Germany to Russia, Georgia	PEP_ORB2.HTM
<i>Peponocranium praeceps</i> Miller, 1943	V							Finland, Germany, to Russia, Ukraine	PEP_PRA2.HTM
<i>Piniphantes pinicola</i> (Simon, 1884)	V	k	5			Leptyphantes p.		Palearctic	PIN_PIN2.HTM
<i>Pityophyphantes phrygianus</i> (C.L. Koch, 1836)	V	k	5	bv	vh			Palearctic	PIT_PHR2.HTM
<i>Pocadicnemis carpatica</i> (Chyzer, 1894)	V	k	N				A: Zulka (1992)	Eastern Europe	POC_CAR2.HTM
<i>Pocadicnemis juncea</i> Locket & Millidge, 1953	V	k	6	bv	vh			Palearctic	POC_JUN2.HTM
<i>Pocadicnemis pumila</i> (Blackwall, 1841)	V	k	6	bv	vh			Holarctic	POC_PUM2.HTM
<i>Poeciloneta variegata</i> (Blackwall, 1841)	V	k	5	bv	vh	P. globosa		Holarctic	POE_VA22.HTM
<i>Porrhomma cambridgei</i> Merrett, 1994	V	2						England to Germany	POR_CAM2.HTM
<i>Porrhomma campbelli</i> F.O. P.-Cambridge, 1894	V	k	5	bv	vh			Palearctic	POR_CA22.HTM
<i>Porrhomma convexum</i> (Westring, 1851)	V	k	5	bv	vh	1861		Palearctic	POR_CON2.HTM
<i>Porrhomma egeria</i> Simon, 1884	V	k	5	bv	vh	P. moravicum is regarded as a separate species by Malt et al. (1998), Eckert & Moritz (1998)	D: P. moravicum: Malt et al. (1998), Eckert & Moritz (1998)	Europe, Russia	POR_EGE2.HTM
<i>Porrhomma errans</i> (Blackwall, 1841)	V	k	N	bv	vh		A: Steinberger (1998)	Palearctic	POR_ERR2.HTM
<i>Porrhomma lativelum</i> Tretzel, 1956	V	k	5		vh	P. lativela		Europe to Azerbaijan	POR_LAT2.HTM
<i>Porrhomma microcavense</i> Wunderlich, 1990	V		N	bv			A: Steinberger & Thaler (1994)	Germany, Austria	POR_MIC2.HTM
<i>Porrhomma microphthalmum</i> (O. P.-Cambridge, 1871)	V	k	ks	bv	vh			Palearctic	POR_MI22.HTM
<i>Porrhomma microps</i> (Roewer, 1931)	V		kh					Europe	POR_MI32.HTM
<i>Porrhomma montanum</i> Jackson, 1913	V		N	(bv)	vh	P. hebescens	A: Komposch (2000b)	Palearctic	POR_MON2.HTM
<i>Porrhomma myops</i> Simon, 1884	N		5	bv			D: Weiβ (1997)	Europe	POR_MYO2.HTM
<i>Porrhomma oblitum</i> (O. P.-Cambridge, 1871)	V	k	5	bv	vh			Britain, Iceland	POR_OBL2.HTM
<i>Porrhomma pallidum</i> Jackson, 1913	V	k	5	bv	vh			Palearctic	POR_PAL2.HTM
<i>Porrhomma pygmaeum</i> (Blackwall, 1834)	V	k	5	bv	vh			Palearctic	POR_PYG2.HTM
<i>Porrhomma rosenhaueri</i> (L. Koch, 1872)	V	2		bv				Europe, Russia	POR_ROS2.HTM

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Prinerigone vagans</i> (Audouin, 1826)	V	2	ks	bv	vh	without parantheses		Old World	PRI_VAG2.HTM
<i>Pseudocarorita thaleri</i> (Saaristo, 1971)	V	k	6	bv				Europe	PSE_THA2.HTM
<i>Pseudomaro aenigmaticus</i> Denis, 1966	V	2	N	bv		male unknown	A: Thaler (1991)	Palearctic	PSE_AEN2.HTM
<i>Saaristoa abnormis</i> (Blackwall, 1841)	V	k	N	bv	vh	Oreonetides a.	A: Kritscher (1972)	Palearctic	SAA_ABN2.HTM
<i>Saaristoa firma</i> (O. P.-Cambridge, 1900)	V	k	5	bv	vh	1901, 1905		Europe	SAA_FIR2.HTM
<i>Saloca diceros</i> (O. P.-Cambridge, 1871)	V	k	6	bv	vh			Europe	SAL_DIC2.HTM
<i>Satilatlas britteni</i> (Jackson, 1913)	V	k		bv	vh	1912		Europe	SAT_BRI2.HTM
<i>Sauron rayi</i> (Simon, 1881)	V					Metopobactrus r., see Marusik et al. (2001)		Europe	MET_RAY2.HTM
<i>Savignia frontata</i> Blackwall, 1833	V	k		bv	vh	with parantheses		Palearctic	SAV_FRO2.HTM
<i>Sciastes carli</i> (Lessert, 1907)				k	6			Switzerland, Austria	
<i>Scotargus pilosus</i> Simon, 1913	V	k	5					Palearctic	SCO_PIL2.HTM
<i>Scotinotylus alpigena</i> (L. Koch, 1869)				k	6	S. alpigenus		Palearctic	
<i>Scotinotylus antennatus</i> (O. P.-Cambridge, 1875)	V	k	6					Europe	SCO_ANT2.HTM
<i>Scotinotylus clavatus</i> (Schenkel, 1927)				k	6			Switzerland, Austria	
<i>Scotinotylus evansi</i> (O. P.-Cambridge, 1894)				k	6			Greenland, Palearctic	
<i>Semljicola faustus</i> (O. P.-Cambridge, 1900)	V	k				Latithorax f.		Palearctic	SEM_FAU2.HTM
<i>Silometopus bonessi</i> Casimir, 1970	V	2	N	bv			A: Malicky (1972b)	Belgium, Switzerland, Austria, Germany, Slovakia	SIL_BON2.HTM
<i>Silometopus curtus</i> (Simon, 1881)	V			bv	vh	S. ambiguus auct.		Europe	SIL_CUR2.HTM
<i>Silometopus elegans</i> (O. P.-Cambridge, 1872)	V	k	6	bv	vh			Palearctic	SIL_ELE2.HTM
<i>Silometopus incurvatus</i> (O. P.-Cambridge, 1873)	V			bv	vh			Palearctic	SIL_INC2.HTM
<i>Silometopus reussi</i> (Thorell, 1871)	V	k	6	bv	vh			Palearctic	SIL_REU2.HTM
<i>Silometopus rosemariae</i> Wunderlich, 1969	N	k	6				D: Muster & Leipold (2001), Muster (2001)	Austria, Italy, Switzerland	SIL_ROS2.HTM##
<i>Sintula corniger</i> (Blackwall, 1856)	V	k	5	bv		S. cornigera		Europe to Azerbaijan	SIN_COR2.HTM
<i>Siscus apertus</i> (Holm, 1939)				k	6			Holarctic	
<i>Stemonyphantes conspersus</i> (L. Koch, 1879)	N	k	5				D: Muster (1999)	Central Europe to Kazakhstan	STE_CON2.HTM
<i>Stemonyphantes lineatus</i> (Linnaeus, 1758)	V	k	5	bv	vh			Palearctic	STE_LIN2.HTM
<i>Styloctetor austerus</i> (L. Koch, 1884)	V	k	6			Ceratinopsis austera		Switzerland, Austria	STY_AUS2.HTM
<i>Styloctetor romanus</i> (O. P.-Cambridge, 1872)	V	k		bv	vh	Ceratinopsis romana		Palearctic	STY_ROM2.HTM
<i>Styloctetor stativus</i> (Simon, 1881)	V	k	6	bv	vh	Ceratinopsis stativa		Holarctic	STY_STA2.HTM
<i>Syedra apetlonensis</i> Wunderlich, 1992				N			A: Wunderlich (1992)	Austria	
<i>Syedra gracilis</i> (Menge, 1869)	V	k	5	bv	vh			Palearctic	SYE_GRA2.HTM
<i>Syedra myrmicarum</i> (Kulczynski, 1882)	V	k	5			1883		Central Europe	SYE_MYR2.HTM
<i>Tallusia experta</i> (O. P.-Cambridge, 1871)	V	k	5	bv	vh			Palearctic	TAL_EXP2.HTM
<i>Tallusia vindobonensis</i> (Kulczynski, 1898)		1	N				A: Nemenz (1958)	Central, Eastern Europe	
<i>Tapinocyba affinis</i> Lessert, 1907	V	k	kh			with parantheses		Palearctic	TAP_AFF2.HTM

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Tapinocyba affinis orientalis</i> Millidge, 1979			6			probably only one form in C-Europe		Central Europe	
<i>Tapinocyba biscissa</i> (O. P.-Cambridge, 1872)	V			bv				Palearctic	TAP_BIS2.HTM
<i>Tapinocyba insecta</i> (L. Koch, 1869)	V	k	6	bv	vh			Palearctic	TAP_INS2.HTM
<i>Tapinocyba maureri</i> Thaler, 1991			1					Switzerland, Italy	
<i>Tapinocyba pallens</i> (O. P.-Cambridge, 1872)	V	k	6	bv				Europe to Armenia	TAP_PAL2.HTM
<i>Tapinocyba praecox</i> (O. P.-Cambridge, 1873)	V	1	kh	bv	vh			Europe	TAP_PRA2.HTM
<i>Tapinocyboides pygmaeus</i> (Menge, 1869)	V	k	6	bv				Palearctic	TAP_PYG2.HTM
<i>Tapinopa longidens</i> (Wider, 1834)	V	k	5	bv	vh			Palearctic	TAP_LON2.HTM
<i>Taranucnus setosus</i> (O. P.-Cambridge, 1863)	V			bv	vh			Palearctic	TAR_SET2.HTM
<i>Tenuiphantes alacris</i> (Blackwall, 1853)	V	k	5	bv	vh	Lepthyphantes a.		Palearctic	TEN_ALA2.HTM
<i>Tenuiphantes cristatus</i> (Menge, 1866)	V	k	5	bv	vh	Lepthyphantes c.		Palearctic	TEN_CRI2.HTM
<i>Tenuiphantes flavipes</i> (Blackwall, 1854)	V	k	5	bv	vh	Lepthyphantes f.		Palearctic	TEN_FLA2.HTM
<i>Tenuiphantes jacksoni</i> (Schenkel, 1925)			k			Lepthyphantes j.		Switzerland, Austria	
<i>Tenuiphantes jacksonoides</i> (van Helsingdingen, 1977)	V	k	5			Lepthyphantes j.		Switzerland, Germany, Austria	TEN_JAC2.HTM
<i>Tenuiphantes mengei</i> (Kulczynski, 1887)	V	k	5	bv	vh	Lepthyphantes m.		Palearctic	TEN_MEN2.HTM
<i>Tenuiphantes monachus</i> (Simon, 1884)			k	N		Lepthyphantes m.	A: Thaler (1984)	Europe	
<i>Tenuiphantes tenebricola</i> (Wider, 1834)	V	k	5	bv	vh	Lepthyphantes t.		Palearctic	TEN_TEN2.HTM
<i>Tenuiphantes tenuis</i> (Blackwall, 1852)	V	k	5	bv	vh	Lepthyphantes t.		Europe, North Africa (elsewhere, introduced)	TEN_TEN2.HTM
<i>Tenuiphantes zimmermanni</i> (Bertkau, 1890)	V	k	N	bv	vh	Lepthyphantes z.	A: Steinberger & Meyer (1993)	Europe, Russia	TEN_ZIM2.HTM
<i>Theonina cornix</i> (Simon, 1881)	V	k	5	bv				Europe, Russia	THE_COR2.HTM
<i>Theonina kratochvili</i> Miller & Weiss, 1979				N			A: Schaberreiter (1999)	Eastern Europe, Russia	
<i>Thyreosthenius biovatus</i> (O. P.-Cambridge, 1875)	V	k	6	bv	vh			Palearctic	THY_BIO2.HTM
<i>Thyreosthenius parasiticus</i> (Westring, 1851)	V	k	6	bv	vh			Holarctic	THY_PAR2.HTM
<i>Tiso aestivus</i> (L. Koch, 1872)	V	k	6					Holarctic	TIS_AES2.HTM
<i>Tiso vagans</i> (Blackwall, 1834)	V	k	6	bv	vh			Europe, Russia	TIS_VAG2.HTM
<i>Tmeticus affinis</i> (Blackwall, 1855)	V			bv	vh			Palearctic	TME_AFF2.HTM
<i>Trematocephalus cristatus</i> (Wider, 1834)	V	k	6	bv	vh			Palearctic	TRE_CRI2.HTM
<i>Trichoncoides piscator</i> (Simon, 1884)				N			A: Thaler & Steiner (1975)	Palearctic	
<i>Trichoncus affinis</i> Kulczynski, 1894	V	k	ks					Palearctic	TRI_AFF2.HTM
<i>Trichoncus auritus</i> (L. Koch, 1869)	N	k	6			T. kulczynskii	D: Junker & Ratschker (1999)	Europe, Russia	TRI_AUR2.HTM
<i>Trichoncus hackmani</i> Millidge, 1956	V		N	bv		1955	A: Malicky (1972b)	Central, Northern Europe	TRI_HAC2.HTM
<i>Trichoncus helveticus</i> Denis, 1965			k					Switzerland	
<i>Trichoncus saxicola</i> (O. P.-Cambridge, 1861)	V	1	N	bv	vh	Maurer & Hänggi (1990): sub T. hackmani; T. varipes probably a separate species	A: Nemenz (1958)	Europe, Russia	TRI_SAX2.HTM

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Trichoncus simoni</i> (Lessert, 1904)	V	k	6			Tapinocyboides s.		Switzerland, Germany, Austria, Czech Rep.	TRI_SIM2.HTM
<i>Trichoncus sordidus</i> Simon, 1884	V							Europe	TRI_SOR2.HTM
<i>Trichoncus varipes</i> Denis, 1965				vh		uncertain if it is a syn. of <i>T. saxicola</i> or not		Europe	
<i>Trichoncus vasconicus</i> Denis, 1944			6			uncertain, for probable synonymies see Thaler (1999)		Palearctic	
<i>Trichopterna cito</i> (O. P.-Cambridge, 1872)	V	k	6	bv	vh			Palearctic	TRI_CIT2.HTM
<i>Trichopterna thorelli</i> (Westring, 1861)	V	k	6	bv	vh	1862		Palearctic	TRI_THO2.HTM
<i>Troglhyphantes caligatus</i> Pesarini, 1989			k					Switzerland, Italy	
<i>Troglhyphantes excavatus</i> Fage, 1919				ks				Italy, Eastern Europe	
<i>Troglhyphantes helsdingeni</i> Deeleman-Reinhold, 1978				ks				Balkans, Austria	
<i>Troglhyphantes karawankorum</i> Deeleman-Reinhold, 1978				ks				Balkans, Austria	
<i>Troglhyphantes latzeli</i> Thaler, 1986				ks				Austria	
<i>Troglhyphantes lucifuga</i> (Simon, 1884)		k				T. lucifugus lucifugus, T. lucifugus ferrinii		Europe	
<i>Troglhyphantes noricus</i> (Thaler & Polenec, 1974)	V			kh				Germany, Austria	TRO_NOR2.HTM
<i>Troglhyphantes novicordis</i> Thaler, 1978				kh				Austria	
<i>Troglhyphantes sbordonii</i> Brignoli, 1975				ks				Austria, Italy, Slovenia	
<i>Troglhyphantes sordellii</i> (Pavesi, 1875)		k						Italy	
<i>Troglhyphantes subalpinus</i> Thaler, 1967	N		5				D: Muster (2000)	Austria	TRO_SUB2.HTM
<i>Troglhyphantes tauriscus</i> Thaler, 1982				kh				Austria	
<i>Troglhyphantes thaleri</i> Miller & Polenec, 1975				kh				Austria, Balkans	
<i>Troglhyphantes tirolensis</i> Schenkel, 1950	N		5				D: Leipold in Muster (2000)	Austria, Italy	TRO_TIR2.HTM
<i>Troglhyphantes typhonetiformis</i> Absolon & Kratochvíl, 1932				ks				Austria, Balkans	
<i>Troglhyphantes wiehlei</i> Miller & Polenec, 1975				ks				Eastern Europe	
<i>Troxochrus cirrifrons</i> (O. P.-Cambridge, 1871)					vh	only a variety of <i>T. scabriculus</i> ?		Europe	
<i>Troxochrus nasutus</i> Schenkel, 1925	V	k	6	bv				Europe	TRO_NAS2.HTM
<i>Troxochrus scabriculus</i> (Westring, 1851)	V	k	6	bv	vh	T. cirrifrons not listed separately for A/CH/D/B (but see Platnick 2001)		Palearctic	TRO_SCA2.HTM
<i>Typhochrestus digitatus</i> (O. P.-Cambridge, 1872)	V	k	N	bv	vh		A: Malicky (1972b)	Palearctic	TYP_DIG2.HTM
<i>Typhochrestus inflatus</i> Thaler, 1980			k	6				Switzerland to Central Asia	
<i>Typhochrestus simoni</i> Lessert, 1907	V	k		bv				Europe	TYP_SIM2.HTM
<i>Walckenaeria acuminata</i> Blackwall, 1833	V	k	6	bv	vh			Palearctic	WAL_ACU2.HTM

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Walckenaeria alticeps</i> (Denis, 1952)	V	k	6	bv	vh			Europe	WAL_ALT2.HTM
<i>Walckenaeria antica</i> (Wider, 1834)	V	k	6	bv	vh			Palearctic	WAL_ANT2.HTM
<i>Walckenaeria atrotibialis</i> (O. P.-Cambridge, 1878)	V	k	6	bv	vh	without parantheses		Holarctic	WAL_ATR2.HTM
<i>Walckenaeria capito</i> (Westring, 1861)	V	k	6	bv	vh			Holarctic	WAL_CAP2.HTM
<i>Walckenaeria clavicornis</i> (Emerton, 1882)		k	6			no verified record in Germany		Holarctic	
<i>Walckenaeria corniculans</i> (O. P.-Cambridge, 1875)	V	k	6	bv	vh			Europe, North Africa	WAL_COR2.HTM
<i>Walckenaeria cucullata</i> (C.L. Koch, 1836)	V	k	6	bv	vh			Palearctic	WAL_CUC2.HTM
<i>Walckenaeria cuspidata</i> Blackwall, 1833	V	k	6	bv	vh	with parantheses		Palearctic	WAL_CUS2.HTM
<i>Walckenaeria dysderoides</i> (Wider, 1834)	V	k	6	bv	vh			Palearctic	WAL_DYS2.HTM
<i>Walckenaeria furcillata</i> (Menge, 1869)	V	k	6	bv	vh	1871		Palearctic	WAL_FUR2.HTM
<i>Walckenaeria incisa</i> (O. P.-Cambridge, 1871)	V	k		bv	vh			Europe	WAL_INC2.HTM
<i>Walckenaeria kochi</i> (O. P.-Cambridge, 1872)	V	k	ks	bv	vh			Palearctic	WAL_KOC2.HTM
<i>Walckenaeria languida</i> (Simon, 1914)		k	6			without parantheses		Southern Europe, North Africa	
<i>Walckenaeria mitrata</i> (Menge, 1868)	V	k	6	bv	vh			Palearctic	WAL_MIT2.HTM
<i>Walckenaeria monoceros</i> (Wider, 1834)	V	k	6	bv	vh			Europe to Kyrgyzstan	WAL_MON2.HTM
<i>Walckenaeria nodosa</i> O. P.-Cambridge, 1873	V	k	kh	bv				Palearctic	WAL_NOD2.HTM
<i>Walckenaeria nudipalpis</i> (Westring, 1851)	V	k	6	bv	vh			Palearctic	WAL_NUD2.HTM
<i>Walckenaeria obtusa</i> Blackwall, 1836	V	k	6	bv	vh			Palearctic	WAL_OBT2.HTM
<i>Walckenaeria simplex</i> Chyzer, 1894			kh					Eastern Europe	
<i>Walckenaeria stylifrons</i> (O. P.-Cambridge, 1875)	V	k	ks	bv	vh			Europe	WAL_STY2.HTM
<i>Walckenaeria unicornis</i> O. P.-Cambridge, 1861	V	k	6	bv	vh			Palearctic	WAL_UNI2.HTM
<i>Walckenaeria vigilax</i> (Blackwall, 1853)	V	k	6	bv	vh			Holarctic	WAL_VIG2.HTM
<i>Wiehlea calcarifera</i> (Simon, 1884)	V			bv				Holarctic	WIE_CAL2.HTM
<i>Wiehlenarius tirolensis</i> (Schenkel, 1939)		k	6			Asthenargus (?) t.		Austria, Greece	
<i>Wubanoides uralensis</i> (Pakhorukov, 1981)	N						D: Schikora (2001)	Central, Eastern Europe, Russia, Mongolia	WUB_URA2.HTM

## Tetragnathidae

<i>Meta bourneti</i> Simon, 1922	V	k						Europe to Georgia, North Africa	MET_BOU2.HTM
<i>Meta menardi</i> (Latreille, 1804)	V	k	2	bv	vh			Europe to Korea	MET_MEN2.HTM
<i>Metellina mengei</i> (Blackwall, 1870)	V	k	2	bv	vh	1869		Europe to Georgia	MET_ME22.HTM
<i>Metellina merianae</i> (Scopoli, 1763)	V	k	2	bv	vh			Europe to Georgia	MET_MER2.HTM
<i>Metellina segmentata</i> (Clerck, 1757)	V	k	2	bv	vh			Palearctic (Canada, introduced)	MET_SEG2.HTM
<i>Pachynatha clercki</i> Sundevall, 1823	V	k	2	bv	vh			Holarctic	PAC_CLE2.HTM
<i>Pachynatha degeeri</i> Sundevall, 1830	V	k	2	bv	vh			Palearctic	PAC_DEG2.HTM
<i>Pachynatha listeri</i> Sundevall, 1830	V	k	2	bv	vh			Palearctic	PAC_LIS2.HTM
<i>Pachynatha terilis</i> Thaler, 1991		2	ks					Switzerland, Austria, Italy	

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
Tetragnatha dear mata Thorell, 1873	V	k	2	bv	vh			Holarctic	TET_DEA2.HTM
Tetragnatha extensa (Linnaeus, 1758)	V	k	2	bv	vh			Holarctic, Madeira	TET_EXT2.HTM
Tetragnatha montana Simon, 1874	V	k	2	bv	vh			Palearctic	TET_MON2.HTM
Tetragnatha nigrita Lendl, 1886	V	k	kh	bv	vh			Palearctic	TET_NIG2.HTM
Tetragnatha obtusa C.L. Koch, 1837	V	k	2	bv	vh			Palearctic	TET_OBT2.HTM
Tetragnatha pinicola L. Koch, 1870	V	k	2	bv	vh			Palearctic	TET_PIN2.HTM
Tetragnatha reimoseri (Rosca, 1939)	V		N	bv	N	Eucta kaestneri	A: Nemenz (1967); NL: Tutelaers (2001a)	Central, Eastern Europe	TET_Rei2.HTM
Tetragnatha shoshone Levi, 1981	V		ks					USA, Canada, Europe	TET_SHO2.HTM
Tetragnatha striata L. Koch, 1862	V	k	ks	bv	vh			Europe to Kazakhstan	TET_STR2.HTM
<b>Araneidae</b>									
Aculepeira armida (Audouin, 1826)		k			1825			Palearctic	
Aculepeira carbonaria (L. Koch, 1869)		k	2					Palearctic	
Aculepeira ceropagia (Walckenaer, 1802)	V	k	2	bv	vh	A. ceropagius		Palearctic	ACU_CER2.HTM
Agalenatea redii (Scopoli, 1763)	V	k	2	bv	vh			Palearctic	AGA_RED2.HTM
Araneus alsine (Walckenaer, 1802)	V	k	2	bv	vh			Palearctic	ARA_ALS2.HTM
Araneus angulatus Clerck, 1757	V	k	2	bv	vh			Palearctic	ARA_AN22.HTM
Araneus circe (Audouin, 1826)	V	k	2		1825			Palearctic	ARA_CIR2.HTM
Araneus diadematus Clerck, 1757	V	k	2	bv	vh			Holarctic	ARA_DIA2.HTM
Araneus grossus (C.L. Koch, 1844)	V		2					Europe to Central Asia	ARA_GRO2.HTM
Araneus marmoreus Clerck, 1757	V	k	2	bv	vh	A. marmoreus pyramidatus		Holarctic	ARA_MAR2.HTM
Araneus nordmanni (Thorell, 1870)	V	k	2					Holarctic	ARA_NOR2.HTM
Araneus quadratus Clerck, 1757	V	k	2	bv	vh	1758		Palearctic	ARA_QUA2.HTM
Araneus saevus (L. Koch, 1872)	V	k	2					Holarctic	ARA_SAE2.HTM
Araneus sturmi (Hahn, 1831)	V	k	2	bv	vh	Atea s.		Palearctic	ARA_STU2.HTM
Araneus triguttatus (Fabricius, 1793)	V	k	2	bv	vh	Atea t., 1775		Palearctic	ARA_TRI2.HTM
Araniella alpica (L. Koch, 1869)	V	k	2	bv				Europe to Azerbaijan	ARA_ALP2.HTM
Araniella cucurbitina (Clerck, 1757)	V	k	2	bv	vh			Palearctic	ARA_CUC2.HTM
Araniella displicata (Hentz, 1847)	V	k	2	bv	vh			Holarctic	ARA_DIS2.HTM
Araniella inconspicua (Simon, 1874)	V	k	N	bv	vh		A: Sacher (1984)	Palearctic	ARA_INC2.HTM
Araniella opistographa (Kulczynski, 1905)	V	k	2	bv	vh	A. opistographa		Europe to Central Asia	ARA_OPI2.HTM
Araniella proxima (Kulczynski, 1885)	V		2	bv				Holarctic	ARA_PRO2.HTM
Argiope bruennichi (Scopoli, 1772)	V	k	2	bv	vh			Palearctic	ARG_BRU2.HTM
Cercidia prominens (Westring, 1851)	V	k	2	bv	vh			Holarctic	CER_PRO2.HTM
Cyclosa conica (Pallas, 1772)	V	k	2	bv	vh			Holarctic	CYC_CON2.HTM
Cyclosa oculata (Walckenaer, 1802)	V		2	bv	vh			Palearctic	CYC_OCU2.HTM

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Gibbaranea bituberculata</i> (Walckenaer, 1802)	V	k	2	bv	vh			Palearctic	GIB_BIT2.HTM
<i>Gibbaranea gibbosa</i> (Walckenaer, 1802)	V	k	2	bv	vh			Europe to Azerbaijan	GIB_GIB2.HTM
<i>Gibbaranea omoeda</i> (Thorell, 1870)	V	k	2					Palearctic	GIB_OMO2.HTM
<i>Gibbaranea ullrichi</i> (Hahn, 1835)	V	k				1834		Europe, Russia, Central Asia	GIB_ULL2.HTM
<i>Hypsosinga albovittata</i> (Westring, 1851)	V	k	2	bv	vh			Europe, North Africa, Russia, Ukraine	HYP_ALB2.HTM
<i>Hypsosinga heri</i> (Hahn, 1831)	V	k	ks	bv	vh			Palearctic	HYP_HER2.HTM
<i>Hypsosinga pygmaea</i> (Sundevall, 1831)	V	k	2	bv	vh	1832		Holarctic	HYP_PYG2.HTM
<i>Hypsosinga sanguinea</i> (C.L. Koch, 1844)	V	k	2	bv	vh			Palearctic	HYP_SAN2.HTM
<i>Larinia bonneti</i> Spassky, 1939			N				A: Jäger (1995a)	Austria, Russia, Georgia, Japan	
<i>Larinia elegans</i> Spassky, 1939			N			Singa phragmiteti (see Jäger 1995)	A: Nemenz (1958)	Russia, China	
<i>Larinoides cornutus</i> (Clerck, 1757)	V	k	2	bv	vh			Holarctic	LAR_COR2.HTM
<i>Larinoides ixobolus</i> (Thorell, 1873)	V		kh		N		NL: Roelofs-Ditters (2001)	Palearctic	LAR_IKO2.HTM
<i>Larinoides patagiatus</i> (Clerck, 1757)	V	k	2	bv	vh			Holarctic	LAR_PAT2.HTM
<i>Larinoides sclopetarius</i> (Clerck, 1757)	V	k	2	bv	vh	L. sericatus		Holarctic	LAR_SCL2.HTM
<i>Larinoides suspicax</i> (O. P.-Cambridge, 1876)	V		kh			L. folium auct. (nomen nudum)		Mediterranean to Central Asia	LAR_SUS2.HTM
<i>Mangora acalypha</i> (Walckenaer, 1802)	V	k	2	bv	vh			Palearctic	MAN ACA2.HTM
<i>Neoscona adianta</i> (Walckenaer, 1802)	V	k	2	bv	vh			Palearctic	NEO_ADI2.HTM
<i>Neoscona subfuscata</i> (C.L. Koch, 1837)			k					Old World	
<i>Nuctenea silvicolatrix</i> (C.L. Koch, 1835)	V				1844			Palearctic	NUC_SIL2.HTM
<i>Nuctenea umbratica</i> (Clerck, 1757)	V	k	2	bv	vh			Europe to Azerbaijan	NUC_UMB2.HTM
<i>Singa hamata</i> (Clerck, 1757)	V	k	2	bv	vh			Palearctic	SIN_HAM2.HTM
<i>Singa nitidula</i> C.L. Koch, 1844	V	k	2	bv	vh			Palearctic	SIN_NIT2.HTM
<i>Zilla diodia</i> (Walckenaer, 1802)	V	k	2	bv	vh			Mediterranean to Azerbaijan	ZIL_DIO2.HTM
<i>Zygiella atrica</i> (C.L. Koch, 1845)	V	k	ks	bv	vh			Europe, Russia (USA, Canada, introduced)	ZYG_ATR2.HTM
<i>Zygiella montana</i> (C.L. Koch, 1834)	V	k	2		1839			Palearctic	ZYG_MON2.HTM
<i>Zygiella stroemii</i> (Thorell, 1870)	V	k	2	bv				Palearctic	ZYG_STR2.HTM
<i>Zygiella thorelli</i> (Ausserer, 1871)	V	k	N				A: Horak & Kropf (1999)	Europe	ZYG_THO2.HTM
<i>Zygiella x-notata</i> (Clerck, 1757)	V	k	N	bv	vh		A: Thaler (1993a)	Holarctic, Neotropical	ZYG_X_N2.HTM
<b>Lycosidae</b>									
<i>Acantholycosa lignaria</i> (Clerck, 1757)	V	k	3		1758; <i>Pardosa l.</i>			Palearctic	ACA_LIG2.HTM
<i>Acantholycosa norvegica</i> (Thorell, 1872)			2					Palearctic	
<i>Acantholycosa norvegica sudetica</i> (L. Koch, 1875)	V		3		<i>Pardosa n.s.</i>			Europe	ACA_NOR2.HTM
<i>Acantholycosa pedestris</i> (Simon, 1876)	V	k	3		<i>Pardosa p.</i>			Europe	ACA_PED2.HTM

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Acantholycosa rupicola</i> (Dufour, 1821)		k				1820, <i>A. pyrenaea</i> auct. (Hänggi 1999)		Spain, France, Switzerland	
<i>Alopecosa accentuata</i> (Latreille, 1817)	V	k	3	bv				Palearctic	ALO_ACC2.HTM
<i>Alopecosa aculeata</i> (Clerck, 1757)	V	k	3			1758		Holarctic	ALO_ACU2.HTM
<i>Alopecosa albofasciata</i> (Brullé, 1832)		k						Mediterranean to Central Asia	
<i>Alopecosa barbipes</i> (Sundevall, 1833)	V			bv	vh	1832		Palearctic	ALO_BAR2.HTM
<i>Alopecosa cuneata</i> (Clerck, 1757)	V	k	3	bv	vh			Palearctic	ALO_CUN2.HTM
<i>Alopecosa cursor</i> (Hahn, 1831)	V		L	bv	vh	<i>A. cursor cursor</i>		Palearctic	ALO_CUR2.HTM
<i>Alopecosa fabrilis</i> (Clerck, 1757)	V	k		bv	vh			Palearctic	ALO_FAB2.HTM
<i>Alopecosa inquilina</i> (Clerck, 1757)	V	k	3	bv				Palearctic	ALO_INQ2.HTM
<i>Alopecosa mariae</i> (Dahl, 1908)	V		L					Palearctic	ALO_MAR2.HTM
<i>Alopecosa pinetorum</i> (Thorell, 1856)	V	k	3					Palearctic	ALO_PIN2.HTM
<i>Alopecosa pulverulenta</i> (Clerck, 1757)	V	k	3	bv	vh			Palearctic	ALO_PUL2.HTM
<i>Alopecosa schmidti</i> (Hahn, 1835)	V		L					Palearctic	ALO_SCH2.HTM
<i>Alopecosa solitaria</i> (Herman, 1879)				L				Europe, Russia	
<i>Alopecosa striatipes</i> (C.L. Koch, 1839)	V	k		bv		1837		Europe to Central Asia	ALO_STR2.HTM
<i>Alopecosa sulzeri</i> (Pavesi, 1873)	V	k	L					Palearctic	ALO_SUL2.HTM
<i>Alopecosa taeniata</i> (C.L. Koch, 1835)	V	k	3					Palearctic	ALO_TAE2.HTM
<i>Alopecosa trabalis</i> (Clerck, 1757)	V	k	3	bv	vh			Europe to Central Asia	ALO_TRA2.HTM
<i>Arctosa alpigena</i> (Doleschall, 1852)	V	k	3			<i>A. alpigena alpigena</i>		Holarctic	ARC_ALP2.HTM
<i>Arctosa alpigena lamperti</i> Dahl, 1908	V	k	3			with parenthesis, <i>A. lamperti</i> auct.		Central, Eastern Europe	ARC_AL22.HTM
<i>Arctosa cinerea</i> (Fabricius, 1777)	V	k	3	bv	vh			Palearctic, Congo	ARC_CIN2.HTM
<i>Arctosa figurata</i> (Simon, 1876)	V	k	3	bv	vh	without parenthesis		Europe, Russia	ARC FIG2.HTM
<i>Arctosa leopardus</i> (Sundevall, 1833)	V	k	3	bv	vh	1832		Palearctic	ARC_LEO2.HTM
<i>Arctosa lutetiana</i> (Simon, 1876)	V	k	3	bv	vh	Tricca I.		Europe, Russia	ARC_LUT2.HTM
<i>Arctosa maculata</i> (Hahn, 1822)	V	k	3					Europe, Russia	ARC_MAC2.HTM
<i>Arctosa perita</i> (Latreille, 1799)	V	k		bv	vh			Holarctic	ARC_PER2.HTM
<i>Arctosa personata</i> (L. Koch, 1872)		k						Western Mediterranean	
<i>Arctosa renidescens</i> Buchar & Thaler, 1995		k	3			<i>A. renidens</i> auct.		Central Europe	
<i>Arctosa stigmosa</i> (Thorell, 1875)	V	k	3			without parenthesis		Palearctic	ARC_STI2.HTM
<i>Aulonia albimana</i> (Walckenaer, 1805)	V	k	3	bv	vh			Palearctic	AUL_ALB2.HTM
<i>Hogna radiata</i> (Latreille, 1817)		k	L			<i>Lycosa r.</i>		Mediterranean to Central Asia, Central Africa	
<i>Hygrolycosa rubrofasciata</i> (Ohlert, 1865)	V	k	L	bv	vh			Palearctic	HYG_RUB2.HTM
<i>Lycosa singoriensis</i> (Laxmann, 1770)			L			Allohogna s., see Zyuzin & Logunov (2000)		Palearctic	
<i>Pardosa agrestis</i> (Westring, 1861)	V	k	3	bv	vh	1862		Palearctic	PAR_AGR2.HTM

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
Pardosa agrestis purbeckensis F.O. P.-Cambridge, 1895	V			bv	vh	P. purbeckensis		Western Europe	PAR_PUR2.HTM
Pardosa agricola (Thorell, 1856)	V			bv	vh			Europe to Kazakhstan	PAR_AG22.HTM
Pardosa alacris (C.L. Koch, 1833)	V	2	3	bv				Europe, Russia	PAR_ALA2.HTM
Pardosa albatula (Roewer, 1951)				L		P. albata auct.		Europe	
Pardosa amentata (Clerck, 1757)	V	k	3	bv	vh			Europe, Russia	PAR_AME2.HTM
Pardosa baehrorum Kronestedt, 1999	N	2	L				D: Kronestedt (1999)	Germany, Austria	PAR_BAE2.HTM
Pardosa bifasciata (C.L. Koch, 1834)	V	k	3	bv				Palearctic	PAR_BIF2.HTM
Pardosa blanda (C.L. Koch, 1833)	V	k	3			1834		Palearctic	PAR_BLA2.HTM
Pardosa cincta (Kulczynski, 1887)				3		without parentheses		Central, Eastern Europe	
Pardosa cibrata Simon, 1876				L				Southern Europe, Algeria	
Pardosa ferruginea (L. Koch, 1870)	V	k	3					Palearctic	PAR_FER2.HTM
Pardosa fulvipes (Collett, 1876)	V		3			1875		Palearctic	PARFUL2.HTM
Pardosa giebeli (Pavesi, 1873)	V	k	3					Europe	PAR_GIE2.HTM
Pardosa hortensis (Thorell, 1872)	V	k	3	bv	vh			Palearctic	PAR_HOR2.HTM
Pardosa hyperborea (Thorell, 1872)	V					German record are outside of the recent borders of the country		Holarctic	PAR_HYP2.HTM
Pardosa lugubris (Walckenaer, 1802)	V	k	3	bv	vh			Palearctic	PAR_LUG2.HTM
Pardosa maisa Hippa & Mannila, 1982				L				Finland, Austria, Czech Rep., Poland	
Pardosa mixta (Kulczynski, 1887)	V	k	3					Europe to Uzbekistan	PAR_MIX2.HTM
Pardosa monticola (Clerck, 1757)	V	k	3	bv	vh			Palearctic	PAR_MON2.HTM
Pardosa morosa (L. Koch, 1870)	V	k	L					Europe to Central Asia	PAR_MOR2.HTM
Pardosa nebulosa (Thorell, 1872)				L				Palearctic	
Pardosa nigra (C.L. Koch, 1834)	V	k	3					Palearctic	PAR_NIG2.HTM
Pardosa nigriceps (Thorell, 1856)	V	k		bv	vh			Europe	PAR_NI22.HTM
Pardosa oreophila Simon, 1937	V	k	3	bv		P. saltuaria auct.		Central, Southern Europe	PAR_ORE2.HTM
Pardosa paludicola (Clerck, 1757)	V	k	3	bv	vh			Palearctic	PAR_PAL2.HTM
Pardosa palustris (Linnaeus, 1758)	V	k	3	bv	vh			Holarctic	PAR_PA22.HTM
Pardosa prativaga (L. Koch, 1870)	V	k	3	bv	vh	P. p. prativaga		Europe, Russia	PAR_PRA2.HTM
Pardosa proxima (C.L. Koch, 1847)	V	k	L	bv	vh	P. p. tenuipes		Palearctic, Canary Is., Azores	PAR_PRO2.HTM
Pardosa pseudostrigillata Tongiorgi, 1966				3				Austria, Italy	
Pardosa pullata (Clerck, 1757)	V	k	3	bv	vh			Europe, Russia, Central Asia	PAR_PUL2.HTM
Pardosa riparia (C.L. Koch, 1833)	V	k	3					Palearctic	PAR_RIP2.HTM
Pardosa saltans Töpfer-Hofmann, 2000	N	2	N	bv	vh	Note: P. saltans has been used several times as "nomen nudum" in the correct sense	D, CH & A: Töpfer-Hofmann et al. (2000)	Europe	PAR_SAL2.HTM
Pardosa saturatior Simon, 1937	V	k	3					Central Europe	PAR_SAT2.HTM

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Pardosa schenkeli</i> Lessert, 1904		k	N				A: Thaler (2000)	Palearctic	
<i>Pardosa sordidata</i> (Thorell, 1875)	V	k	L					Palearctic	PAR_SOR2.HTM
<i>Pardosa sphagnicola</i> (Dahl, 1908)	V		3	bv	vh			Europe, Russia	PAR_SPH2.HTM
<i>Pardosa torrentum</i> Simon, 1876	V	k	3					Europe, Georgia	PAR_TOR2.HTM
<i>Pardosa vittata</i> (Keyserling, 1863)			k	L				Europe to Georgia	
<i>Pardosa wagleri</i> (Hahn, 1822)	V	k	3					Palearctic	PAR_WAG2.HTM
<i>Pirata hygrophilus</i> Thorell, 1872	V	k	3	bv	vh			Palearctic	PIR_HYG2.HTM
<i>Pirata insularis</i> Emerton, 1885	V							Holarctic	PIR_INS2.HTM
<i>Pirata knorri</i> (Scopoli, 1763)	V	k	3	bv	vh			Palearctic	PIR_KNO2.HTM
<i>Pirata latitans</i> (Blackwall, 1841)	V	k	3	bv	vh			Europe to Azerbaijan	PIR_LAT2.HTM
<i>Pirata piraticus</i> (Clerck, 1757)	V	k	3	bv	vh			Holarctic	PIR_PIR2.HTM
<i>Pirata piscatorius</i> (Clerck, 1757)	V	k	3	bv	vh			Palearctic	PIR_PIS2.HTM
<i>Pirata tenuitarsis</i> Simon, 1876	V	k	3	bv	vh			Europe to Central Asia	PIR_TEN2.HTM
<i>Pirata uliginosus</i> (Thorell, 1856)	V	k	3	bv	vh			Europe, Russia	PIR_ULI2.HTM
<i>Trochosa hispanica</i> Simon, 1870			k					Mediterranean to Russia	
<i>Trochosa robusta</i> (Simon, 1876)	V	k	3	bv	vh			Palearctic	TRO_ROB2.HTM
<i>Trochosa ruricola</i> (De Geer, 1778)	V	k	3	bv	vh			Palearctic, Bermuda	TRO_RUR2.HTM
<i>Trochosa spinipalpis</i> (F.O. P.-Cambridge, 1895)	V	k	3	bv	vh			Palearctic	TRO_SPI2.HTM
<i>Trochosa terricola</i> Thorell, 1856	V	k	3	bv	vh			Holarctic	TRO_TER2.HTM
<i>Xerolycosa miniata</i> (C.L. Koch, 1834)	V	k	3	bv	vh			Palearctic	XER_MIN2.HTM
<i>Xerolycosa nemoralis</i> (Westring, 1861)	V	k	3	bv	vh			Palearctic	XER_NEM2.HTM
<b>Pisauridae</b>									
<i>Dolomedes fimbriatus</i> (Clerck, 1757)	V	k	3	bv	vh			Palearctic	DOL_FIM2.HTM
<i>Dolomedes plantarius</i> (Clerck, 1757)	V	k	ks	bv	vh			Europe, Russia	DOL_PLA2.HTM
<i>Pisaura mirabilis</i> (Clerck, 1757)	V	k	3	bv	vh			Palearctic	PIS_MIR2.HTM
<b>Oxyopidae</b>									
<i>Oxyopes heterophthalmus</i> (Latreille, 1804)	V			bv	vh	without parantheses		Palearctic	OXY_HET2.HTM
<i>Oxyopes lineatus</i> Latreille, 1806		k		bv		1866 (lapsus)		Palearctic	
<i>Oxyopes nigripalpis</i> Kulczynski, 1891				(bv)		1907		Mediterranean	
<i>Oxyopes ramosus</i> (Martini & Goeze, 1778)	V	k	3	bv	vh	(Panzer, 1804)		Palearctic	OXY_RAM2.HTM
<b>Zoropsidae</b>									
<i>Zoropsis spinimana</i> (Dufour, 1820)			N				A: Thaler & Knoflach (1998)	Mediterranean (USA, introduced)	
<b>Agelenidae</b>									
<i>Agelena gracilens</i> C.L. Koch, 1841	V	k	3	bv	vh			Mediterranean to Central Asia	AGE_GRA2.HTM

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Agelena labyrinthica</i> (Clerck, 1757)	V	k	3	bv	vh			Palearctic	AGE_LAB2.HTM
<i>Histopona italica</i> Brignoli, 1977			k					Switzerland, Italy	
<i>Histopona luxurians</i> (Kulczynski, 1897)				kh				Eastern Europe	
<i>Histopona torpida</i> (C.L. Koch, 1837)	V	k	3	bv	vh	1834		Europe, Russia	HIS_TOR2.HTM
<i>Tegenaria agrestis</i> (Walckenaer, 1802)	V	k	3	bv	vh			Europe to Central Asia, USA, Canada	TEG_AGR2.HTM
<i>Tegenaria atrica</i> C.L. Koch, 1843	V	k	3	bv	vh			Europe	TEG_ATR2.HTM
<i>Tegenaria campestris</i> C.L. Koch, 1834	V			kh				Europe to Azerbaijan	TEG_CAM2.HTM
<i>Tegenaria domestica</i> (Clerck, 1757)	V	k	3	bv	vh			Cosmopolitan	TEG_DOM2.HTM
<i>Tegenaria ferruginea</i> (Panzer, 1804)	V	k	3	bv	vh			Europe, Azores	TEG_FER2.HTM
<i>Tegenaria fuesslini</i> Pavesi, 1873			k					Spain, France, Italy, Ukraine	
<i>Tegenaria mirifica</i> Thaler, 1987			k	3				Switzerland, Austria	
<i>Tegenaria pagana</i> C.L. Koch, 1840			k		bv	vh	1841	Europe to Central Asia, USA to Chile, New Zealand	
<i>Tegenaria parietina</i> (Fourcroy, 1785)	N	k		bv	vh		D: Ross-Nickoll (2000), Kreuels & Platen (2000)	Europe, North Africa to Central Asia	TEG_PAR2.HTM
<i>Tegenaria picta</i> Simon, 1870	V	k		bv	vh			Europe, Russia, North Africa	TEG_PIC2.HTM
<i>Tegenaria saeva</i> Blackwall, 1844				bv				Europe, Canada	
<i>Tegenaria silvestris</i> L. Koch, 1872	V	k	3	bv	vh			Europe, Russia	TEG_SIL2.HTM
<i>Tegenaria tridentina</i> L. Koch, 1872	N	k	3				D: Muster (1999)	Europe	TEG_TRI2.HTM
<i>Textrix caudata</i> L. Koch, 1872	N	k		bv			D: Broen (1995)	Mediterranean	TEX_CAU2.HTM
<i>Textrix denticulata</i> (Olivier, 1789)	V	k	3	bv	vh			Europe	TEX_DEN2.HTM
<b>Cybaeidae</b>									
<i>Argyroneta aquatica</i> (Clerck, 1757)	V	k	3	bv	vh			Palearctic	ARG_AQU2.HTM
<i>Cybaeus angustiarum</i> L. Koch, 1868	V		N				A: Freudenthaler (1994)	Europe to Azerbaijan	CYB_ANG2.HTM
<i>Cybaeus intermedius</i> Maurer, 1992			1					Switzerland, Italy	
<i>Cybaeus minor</i> Chyzer, 1897				ks				Europe	
<i>Cybaeus montanus</i> Maurer, 1992			1					Switzerland, Italy	
<i>Cybaeus tetricus</i> (C.L. Koch, 1839)	V	k	3					Europe	CYB_TET2.HTM
<b>Hahniidae</b>									
<i>Antistea elegans</i> (Blackwall, 1841)	V	k	3	bv	vh			Europe, Russia	ANT_ELE2.HTM
<i>Cryphoeca brignolii</i> Thaler, 1980			k					Switzerland, Italy	
<i>Cryphoeca lichenum</i> L. Koch, 1876	N		3			C. lichenum lichenum	D: Muster (2000)	Germany, Austria	CRY_LIC2.HTM
<i>Cryphoeca lichenum nigerrima</i> Thaler, 1978	N		3				D: Muster & Leipold (1999)	Germany, Austria	CRY_LIC2.HTM
<i>Cryphoeca nivalis</i> Schenkel, 1919			k	3				Switzerland, Austria	
<i>Cryphoeca silvicola</i> (C.L. Koch, 1834)	V	k	3	bv	vh			Palearctic	CRY_SIL2.HTM
<i>Hahnia candida</i> Simon, 1875	V	2		bv	vh			Europe, North Africa	HAH_CAN2.HTM

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Hahnia difficilis</i> Harm, 1966	V	k	3					Germany, Austria, Czech Rep.	HAH_DIF2.HTM
<i>Hahnia helveola</i> Simon, 1875	V	k	3	bv	vh			Europe	HAH_HEL2.HTM
<i>Hahnia microphthalma</i> Snazell & Duffey, 1980	N						D: Sührig et al. (1998)	England, Germany	HAH_MIC2.HTM
<i>Hahnia montana</i> (Blackwall, 1841)	V	k	3	bv	vh			Europe, Russia	HAH_MON2.HTM
<i>Hahnia nava</i> (Blackwall, 1841)	V	k	3	bv	vh			Palearctic	HAH_NAV2.HTM
<i>Hahnia ononidum</i> Simon, 1875	V	k	3	bv	vh			USA, Canada, Europe, Russia	HAH_ONO2.HTM
<i>Hahnia petrobia</i> Simon, 1875	V							Europe	HAH_PET2.HTM
<i>Hahnia pusilla</i> C.L. Koch, 1841	V	k	3	bv	vh			Europe, Russia	HAH_PUS2.HTM
<i>Tuberta maerens</i> (O. P.-Cambridge, 1863)	V			bv				Europe	TUB_MAE2.HTM
<b>Dictynidae</b>									
<i>Altella biuncata</i> (Miller, 1949)	V	2	2			Altellela b.		Central Europe	ALT_BIU2.HTM
<i>Altella lucida</i> (Simon, 1874)	V			bv				Europe	ALT_LUC2.HTM
<i>Archaeodictyna ammophila</i> (Menge, 1871)	V							Europe to Central Asia	ARC_AMM2.HTM
<i>Archaeodictyna consecuta</i> (O. P.-Cambridge, 1872)	V		2			Dictyna c.		Palearctic	ARC_CON2.HTM
<i>Archaeodictyna minutissima</i> (Miller, 1958)				N		Dictyna m.	A: Malicky (1972a)	Europe	
<i>Argenna patula</i> (Simon, 1874)	V		N	bv	vh	1875	A: Zulka et al. (1997)	Palearctic	ARG_PAT2.HTM
<i>Argenna subnigra</i> (O. P.-Cambridge, 1861)	V	k	2	bv	vh			Europe, Russia	ARG_SUB2.HTM
<i>Brommella falcigera</i> (Balogh, 1935)	V		2					Europe	BRO_FAL2.HTM
<i>Cicurina cicur</i> (Fabricius, 1793)	V	k	3	bv	vh			Europe to Central Asia	CIC_CIC2.HTM
<i>Dictyna arundinacea</i> (Linnaeus, 1758)	V	k	2	bv	vh			Holarctic	DIC_ARU2.HTM
<i>Dictyna civica</i> (Lucas, 1850)	V	k	kh	bv	vh	1849		Europe, North Africa, North America	DIC_CIV2.HTM
<i>Dictyna latens</i> (Fabricius, 1775)	V	k	N	bv	vh		A: Jäger (1995a)	Europe to Central Asia	DIC_LAT2.HTM
<i>Dictyna major</i> Menge, 1869	V			bv	vh			Holarctic	DIC_MAJ2.HTM
<i>Dictyna pusilla</i> Thorell, 1856	V	k	2	bv	vh			Palearctic	DIC_PUS2.HTM
<i>Dictyna uncinata</i> Thorell, 1856	V	k	2	bv	vh			Palearctic	DIC_UNC2.HTM
<i>Emlynna brevidens</i> (Kulczynski, 1897)	V	k				Dictyna b.		Palearctic	EMB_BRE2.HTM
<i>Emlynna mitis</i> (Thorell, 1875)	V					Dictyna/E. annulipes auct.		Palearctic	EMBMIT2.HTM
<i>Lathys humilis</i> (Blackwall, 1855)	V	k	2	bv	vh			Palearctic	LAT_HUM2.HTM
<i>Lathys nielseni</i> (Schenkel, 1932)	V	k	2					Europe	LAT_NIE2.HTM
<i>Lathys stigmatisata</i> (Menge, 1869)	V	k	ks	bv		L. puta auct.		Palearctic	LAT_STI2.HTM
<i>Marilynia bicolor</i> (Simon, 1870)	V		N			Dictyna b.	A: Nemenz (1959)	Europe to Central Asia, North Africa	MAR_BIC2.HTM
<i>Mastigusa arietina</i> (Thorell, 1871)	V	k	3	bv	vh	Tuberta, M. macrophthalma auct.		Palearctic	MAS_ARI2.HTM

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Mastigusa macrophthalma</i> (Kulczynski, 1897)			ks	bv	vh	after Wunderlich (1986) verified records of <i>M. macrophthalma</i> are only known from Hungary and nothern Ex-Yugoslavia. So records from other parts of Europe should refer to <i>M. arietina</i> .		Hungary, Balkans, Russia	
<i>Nigma flavesrens</i> (Walckenaer, 1830)	V	k	2	bv	vh	1825		Palearctic	<a href="#">NIG_FLA2.HTM</a>
<i>Nigma puella</i> (Simon, 1870)	V	k						Europe, Azores, Madeira, Canary Is.	<a href="#">NIG_PUE2.HTM</a>
<i>Nigma walckenaeri</i> (Roewer, 1951)	V	k	2	bv	vh			Palearctic	<a href="#">NIG_WAL2.HTM</a>
<b>Amaurobiidae</b>									
<i>Amaurobius crassipalpis</i> Canestrini & Pavesi, 1870	V	k						Germany, Switzerland, Italy	<a href="#">AMA_CRA2.HTM</a>
<i>Amaurobius erberi</i> (Keyserling, 1863)		k	N				A: Thaler & Steiner (1993)	Europe, Canary Is.	
<i>Amaurobius fenestralis</i> (Ström, 1768)	V	k	2	bv	vh			Europe to Central Asia	<a href="#">AMA_FEN2.HTM</a>
<i>Amaurobius ferox</i> (Walckenaer, 1830)	V	k	2	bv	vh	1825		Holarctic	<a href="#">AMA_FER2.HTM</a>
<i>Amaurobius jugorum</i> L. Koch, 1868	V	k	2					Southern, Eastern Europe	<a href="#">AMA_JUG2.HTM</a>
<i>Amaurobius obustus</i> L. Koch, 1868	V		kh					Europe	<a href="#">AMA_OBU2.HTM</a>
<i>Amaurobius pallidus</i> L. Koch, 1868	V							Southeastern Europe to Georgia	<a href="#">AMA_PAL2.HTM</a>
<i>Amaurobius similis</i> (Blackwall, 1861)	V	k		bv	vh			Holarctic	<a href="#">AMA_SIM2.HTM</a>
<i>Callobius claustrarius</i> (Hahn, 1833)	V	k	2	bv		1831, <i>Amaurobius c.</i>		Palearctic	<a href="#">CAL_CLA2.HTM</a>
<i>Coelotes alpinus</i> Polenec, 1972				ks				Italy, Austria, Balkans	
<i>Coelotes anoplus</i> Kulczynski, 1897				ks				Eastern Europe	
<i>Coelotes atropos</i> (Walckenaer, 1830)	V	k		(bv)				Europe	<a href="#">COE_ATR2.HTM</a>
<i>Coelotes inermis</i> (L. Koch, 1855)	V	k	3	bv	vh			Europe	<a href="#">COE_INE2.HTM</a>
<i>Coelotes mediocris</i> Kulczynski, 1887				k				Switzerland, Italy, Ukraine	
<i>Coelotes pabulator</i> Simon, 1875				k				France, Switzerland	
<i>Coelotes pastor pickardi</i> O. P.-Cambridge, 1873				k				Switzerland	
<i>Coelotes pastor tirolensis</i> (Kulczynski, 1906)				k				Switzerland, Ukraine	
<i>Coelotes poleneci</i> Wiehle, 1964				ks				Balkans	
<i>Coelotes rudolfi</i> (Schenkel, 1925)				k				Switzerland	
<i>Coelotes solitarius</i> L. Koch, 1868	V		3					Europe	<a href="#">COE_SOL2.HTM</a>
<i>Coelotes terrestris</i> (Wider, 1834)	V	k	3	bv	vh			Palearctic	<a href="#">COE_TER2.HTM</a>
<i>Urocoras longispinus</i> (Kulczynski, 1897)				kh		Coelotes longispina		Eastern Europe	
<b>Titanoecidae</b>									
<i>Nurscia albomaculata</i> (Lucas, 1846)	V							Europe to Central Asia	<a href="#">NUR_ALB2.HTM</a>
<i>Titanoeca nivalis</i> Simon, 1874		k	2					Holarctic	

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Titanoeca psammophila</i> Wunderlich, 1993	V							Germany, Poland	TIT_PSA2.HTM
<i>Titanoeca quadriguttata</i> (Hahn, 1833)	V	k	2	bv	vh	1831, T. obscura		Palearctic	TIT_QUA2.HTM
<i>Titanoeca schineri</i> L. Koch, 1872				N			A: Nemenz (1959)	Palearctic	
<i>Titanoeca tristis</i> L. Koch, 1872				k				Europe to Central Asia	
<b>Miturgidae</b>									
<i>Cheiracanthium campestre</i> Lohmander, 1944	V		ks					Europe	CHE_CAM2.HTM
<i>Cheiracanthium effosum</i> Herman, 1879	V		N			C. effosum	A: Nemenz (1959)	Eastern Europe, Russia	CHE_EFF2.HTM
<i>Cheiracanthium elegans</i> Thorell, 1875	V		kh					Europe to Central Asia	CHE_ELE2.HTM
<i>Cheiracanthium erraticum</i> (Walckenaer, 1802)	V	k	kh	bv	vh			Palearctic	CHE_ERR2.HTM
<i>Cheiracanthium gratum</i> Kulczynski, 1897	N					ex syn. of C. angulitarse	D: Merkens & Wunderlich (2000)	Germany, Hungary	CHE_GRA2.HTM
<i>Cheiracanthium mildei</i> L. Koch, 1864	V	k	N				A: Jäger (1995a)	Holarctic, Argentina	CHE_MIL2.HTM
<i>Cheiracanthium montanum</i> L. Koch, 1877	V	k		bv		1878		Palearctic	CHE_MON2.HTM
<i>Cheiracanthium oncognathum</i> Thorell, 1871	V	k	4			C. ongognathum, C. oncognatum (lapsus)		Europe, Russia	CHE_ONC2.HTM
<i>Cheiracanthium pennyi</i> O. P.-Cambridge, 1873	V		N	bv	vh		A: Nemenz (1958)	Palearctic	CHE_PEN2.HTM
<i>Cheiracanthium punctorum</i> (Villers, 1789)	V	k	kh	bv				Europe to Central Asia	CHE_PUN2.HTM
<i>Cheiracanthium rupestre</i> Herman, 1879			kh					Eastern Europe	
<i>Cheiracanthium virescens</i> (Sundevall, 1833)	V	k	4	bv	vh			Palearctic	CHE_VIR2.HTM
<b>Anyphaenidae</b>									
<i>Anyphaena accentuata</i> (Walckenaer, 1802)	V	k	4	bv	vh			Europe to Central Asia	ANY_ACC2.HTM
<i>Anyphaena furva</i> Miller, 1967		N					D: Bauchhenß in Ruzicka (2001)	Czech Rep., Slovakia	ANY_FUR2.HTM##
<b>Liocranidae</b>									
<i>Agraecina lineata</i> (Simon, 1878)				bv				Western Mediterranean	
<i>Agroeca brunnea</i> (Blackwall, 1833)	V	k	4	bv	vh			Palearctic	AGR_BRU2.HTM
<i>Agroeca cuprea</i> Menge, 1873	V	k	4	bv	vh	A. pullata		Europe to Central Asia	AGR_CUP2.HTM
<i>Agroeca dentigera</i> Kulczynski, 1913	V			bv	vh			Europe, Russia	AGR_DEN2.HTM
<i>Agroeca inopina</i> O. P.-Cambridge, 1886			2	bv				Europe, Algeria	
<i>Agroeca lusatica</i> (L. Koch, 1875)	V			bv	vh			Europe to Kazakhstan	AGR_LUS2.HTM
<i>Agroeca proxima</i> (O. P.-Cambridge, 1871)	V	k	4	bv	vh	1870		Europe, Russia	AGR_PRO2.HTM
<i>Apostenus fuscus</i> Westring, 1851	V	k	4	bv	vh			Europe	APO_FUS2.HTM
<i>Liocranoeca striata</i> (Kulczynski, 1882)	V	k	4	bv	vh	Agraecina s., Agroeca s.		Europe, Russia	LIO_STR2.HTM
<i>Liocranum rupicola</i> (Walckenaer, 1830)	V	k	4	bv	vh			Europe, Russia	LIO_RUP2.HTM
<i>Liocranum rutilans</i> (Thorell, 1875)	V	k	ks		vh			Europe to Georgia	LIO_RUT2.HTM
<i>Phrurolithus festivus</i> (C.L. Koch, 1835)	V	k	4	bv	vh			Palearctic	PHR_FES2.HTM

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Phrurolithus minimus</i> C.L. Koch, 1839	V	k	4	bv	vh			Palearctic	PHR_MIN2.HTM
<i>Phrurolithus nigrinus</i> (Simon, 1878)			k					Europe	
<i>Phrurolithus pullatus</i> Kulczynski, 1897	V			g				Europe to Central Asia	PHR_PUL2.HTM
<i>Phrurolithus szilyi</i> Herman, 1879				g				Europe	
<i>Scotina celans</i> (Blackwall, 1841)	V	k	N	bv	vh		A: Rupp (1999), Schaberreiter (1999)	Europe, Algeria, Russia	SCO_CEL2.HTM
<i>Scotina gracilipes</i> (Blackwall, 1859)	V	k		bv	vh			Europe	SCO_GRA2.HTM
<i>Scotina palliardii</i> (L. Koch, 1881)	V	k	4		vh	S. palliardii (see Thaler 1997b)		Europe, Russia	SCO_PAL2.HTM

## Clubionidae

<i>Clubiona alpicola</i> Kulczynski, 1882	V	k	4		1881			Europe to Central Asia	CLU_ALP2.HTM
<i>Clubiona brevipes</i> Blackwall, 1841	V	k	N	bv	vh	with parantheses	A: Horak & Kropf (1999)	Europe to Central Asia	CLU_BRE2.HTM
<i>Clubiona caerulescens</i> L. Koch, 1867	V	k	4	bv	vh	C. coeruleascens		Palearctic	CLU_CAE2.HTM
<i>Clubiona comta</i> C.L. Koch, 1839	V	k	4	bv	vh	C. compta		Europe, Russia, North Africa	CLU_COM2.HTM
<i>Clubiona corticalis</i> (Walckenaer, 1802)	V	k	4	bv	vh			Europe to Central Asia	CLU_COR2.HTM
<i>Clubiona diversa</i> O. P.-Cambridge, 1862	V	k	4	bv	vh			Palearctic	CLU_DIV2.HTM
<i>Clubiona frisia</i> Wunderlich & Schuett, 1995	V			bv	vh	C. similis auct.		Europe, Russia	CLU_FRI2.HTM
<i>Clubiona frutetorum</i> L. Koch, 1867	V	k	4	bv	vh	1866		Europe, Russia	CLU_FRU2.HTM
<i>Clubiona genevensis</i> L. Koch, 1866	V	k	4	bv	vh	1867		Palearctic	CLU_GEN2.HTM
<i>Clubiona germanica</i> Thorell, 1871	V	k	4	bv	vh	1872, 1870		Palearctic	CLU_GER2.HTM
<i>Clubiona hilaris</i> Simon, 1878			k	4				Europe	
<i>Clubiona juvenis</i> Simon, 1878	V	k	N	bv	vh		A: Nemenz (1967)	Europe to Central Asia	CLU_JUV2.HTM
<i>Clubiona kulczynskii</i> Lessert, 1905	V	k	4		1910, C. abdita			Holarctic	CLU_KUL2.HTM
<i>Clubiona leucaspis</i> Simon, 1932	V				C. genevensis auct.			Spain, France, Germany, Italy, Algeria	CLU_LEU2.HTM
<i>Clubiona lutescens</i> Westring, 1851	V	k	4	bv	vh			Holarctic	CLU_LUT2.HTM
<i>Clubiona marmorata</i> L. Koch, 1866	V		4					Europe	CLU_MAR2.HTM
<i>Clubiona neglecta</i> O. P.-Cambridge, 1862	V	k	4	bv	vh			Palearctic	CLU_NEG2.HTM
<i>Clubiona norvegica</i> Strand, 1900	V		4					Holarctic	CLU_NOR2.HTM
<i>Clubiona pallidula</i> (Clerck, 1757)	V	k	4	bv	vh			Holarctic	CLU_PAL2.HTM
<i>Clubiona phragmitis</i> C.L. Koch, 1843	V	k	4	bv	vh			Palearctic	CLU_PHR2.HTM
<i>Clubiona pseudonelecta</i> Wunderlich, 1994	V	2		bv	vh			Britain, Switzerland, Germany	CLU_PSE2.HTM
<i>Clubiona reclusa</i> O. P.-Cambridge, 1863	V	k	4	bv	vh			Palearctic	CLU_REC2.HTM
<i>Clubiona rosserae</i> Locket, 1953					vh			Palearctic	
<i>Clubiona saxatilis</i> L. Koch, 1866			4		C. dvoraki			Europe	
<i>Clubiona similis</i> L. Koch, 1867	V	k	4		only records in and around the Alps seem to be correct, others are quite probable C. frisia			Palearctic	CLU_SIM2.HTM

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Clubiona stagnatilis</i> Kulczynski, 1897	V	k	4	bv	vh			Palearctic	CLU_STA2.HTM
<i>Clubiona subsultans</i> Thorell, 1875	V	k	4	bv	vh			Palearctic	CLU_SUB2.HTM
<i>Clubiona subtilis</i> L. Koch, 1867	V	k		bv	vh			Palearctic	CLU_SU22.HTM
<i>Clubiona terrestris</i> Westring, 1851	V	k	4	bv	vh	1862		Europe	CLU_TER2.HTM
<i>Clubiona trivialis</i> C.L. Koch, 1843	V	k	4	bv	vh	1841		Holarctic	CLU_TRI2.HTM
<i>Clubiona vegeta</i> Simon, 1918			k					Europe, Central Asia, North Africa, Canary Is.	
<b>Corinnidae</b>									
<i>Cetonana laticeps</i> (Canestrini, 1868)	V	k	g		Ceto I.			Europe	CET_LAT2.HTM
<b>Zodariidae</b>									
<i>Zodarion germanicum</i> (C.L. Koch, 1837)	V		kh					Europe	ZOD_GER2.HTM
<i>Zodarion hamatum</i> Wiegle, 1964			N					Italy, Slovenia, Balkans	
<i>Zodarion italicum</i> (Canestrini, 1868)	V	k	N	bv	vh	Z. gallicum auct. (see Hänggi 1999)	A: Horak & Kropf (1999) A: Wunderlich (1973)	Europe	ZOD_ITA2.HTM
<i>Zodarion rubidum</i> Simon, 1914	V	k	2	bv				Europe, USA (introduced)	ZOD_RUB2.HTM
<b>Gnaphosidae</b>									
<i>Berlandina cinerea</i> (Menge, 1872)	V	k	g					Europe to Kazakhstan	BER_CIN2.HTM
<i>Berlandina nubivaga</i> (Simon, 1878)			k		male unknown			Europe	
<i>Callilepis nocturna</i> (Linnaeus, 1758)	V	k	3	bv	vh			Palearctic	CAL_NOC2.HTM
<i>Callilepis schuszteri</i> (Herman, 1879)	V	k	3					Palearctic	CAL_SCH2.HTM
<i>Cryptodrassus hungaricus</i> (Balogh, 1935)			2		C. pulchellus			Europe	
<i>Drassodes cupreus</i> (Blackwall, 1834)	V	k	3	bv	vh			Palearctic	DRA_CUP2.HTM
<i>Drassodes heeri</i> (Pavesi, 1873)	V	k	3					Europe	DRA_HEE2.HTM
<i>Drassodes hispanus lesserti</i> Schenkel, 1936	V	k			all records of D. hispanus in D and CH belong to this form			Switzerland	DRA_HIS2.HTM
<i>Drassodes hypocrita</i> (Simon, 1878)	V			bv				Europe, Russia	DRA_HYP2.HTM
<i>Drassodes lapidosus</i> (Walckenaer, 1802)	V	k	3	bv				Palearctic	DRA_LAP2.HTM
<i>Drassodes pubescens</i> (Thorell, 1856)	V	k	3	bv	vh			Palearctic	DRA_PUB2.HTM
<i>Drassodes villosus</i> (Thorell, 1856)	V	k	3					Palearctic	DRA_VIL2.HTM
<i>Drassyllus lutetianus</i> (L. Koch, 1866)	V	k	g	bv	vh	Zelotes l.		Europe to Kazakhstan	DRA_LUT2.HTM
<i>Drassyllus praeficus</i> (L. Koch, 1866)	V	k	kh	bv	vh	Zelotes p.		Europe to Central Asia	DRA_PRA2.HTM
<i>Drassyllus pumilus</i> (C.L. Koch, 1839)	V	k	3	bv		Zelotes p.		Europe to Central Asia	DRA_PUM2.HTM
<i>Drassyllus pusillus</i> (C.L. Koch, 1833)	V	k	3	bv	vh	Zelotes p.		Palearctic	DRA_PUS2.HTM
<i>Drassyllus villicus</i> (Thorell, 1875)	V	k	kh	bv		Zelotes v.		Europe	DRA_VI22.HTM
<i>Echemus angustifrons</i> (Westring, 1861)	V	k	3		1862			Europe to Central Asia	ECH_ANG2.HTM

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Gnaphosa alpica</i> Simon, 1878			k					Europe	
<i>Gnaphosa badia</i> (L. Koch, 1866)	V	k	3					Europe to Azerbaijan	GNA_BAD2.HTM
<i>Gnaphosa bicolor</i> (Hahn, 1833)	V	k	3					Europe to Georgia	GNA_BIC2.HTM
<i>Gnaphosa inconspecta</i> Simon, 1878	V		3					Palearctic	GNA_INC2.HTM
<i>Gnaphosa lapponum</i> (L. Koch, 1866)			k					Europe to Central Asia	
<i>Gnaphosa leporina</i> (L. Koch, 1866)	V	k	3	bv	vh			Palearctic	GNA_LEP2.HTM
<i>Gnaphosa lucifuga</i> (Walckenaer, 1802)	V	k	3	bv				Palearctic	GNA_LUC2.HTM
<i>Gnaphosa lugubris</i> (C.L. Koch, 1839)	V	k	kh	bv				Europe to Central Asia	GNA_LUG2.HTM
<i>Gnaphosa microps</i> Holm, 1939	V							Holarctic	GNA_MIC2.HTM
<i>Gnaphosa modestior</i> Kulczynski, 1897			g					Eastern Europe to Azerbaijan	
<i>Gnaphosa montana</i> (L. Koch, 1866)	V	k	3		vh			Palearctic	GNA_MON2.HTM
<i>Gnaphosa muscorum</i> (L. Koch, 1866)	V	k	3					Holarctic	GNA_MUS2.HTM
<i>Gnaphosa nigerrima</i> L. Koch, 1877	V	k	3	bv	1878			Palearctic	GNA_NIG2.HTM
<i>Gnaphosa opaca</i> Herman, 1879	V		g	bv				Europe to Central Asia	GNA_OPA2.HTM
<i>Gnaphosa petrobia</i> L. Koch, 1872	V	k	3					Europe	GNA_PET2.HTM
<i>Gnaphosa rhenana</i> Müller & Schenkel, 1895	V	k	3					Switzerland, Italy, Romania	GNA_RHE2.HTM
<i>Gnaphosa tigrina</i> Simon, 1878			k					Europe	
<i>Haplodrassus aenus</i> Thaler, 1984			k	3		H. aeneus (lapsus)		Palearctic	
<i>Haplodrassus cognatus</i> (Westring, 1861)	V	k	3		1862			Palearctic	HAP_COG2.HTM
<i>Haplodrassus dalmatinus</i> (L. Koch, 1866)	V	k	g	bv	vh			Palearctic	HAP_DAL2.HTM
<i>Haplodrassus kulczynskii</i> Lohmander, 1942	V	k	kh	bv				Palearctic	HAP_KUL2.HTM
<i>Haplodrassus minor</i> (O. P.-Cambridge, 1879)	V	k	ks					Europe, Russia	HAP_MIN2.HTM
<i>Haplodrassus moderatus</i> (Kulczynski, 1897)	V	k		bv				Palearctic	HAP_MOD2.HTM
<i>Haplodrassus signifer</i> (C.L. Koch, 1839)	V	k	3	bv	vh			Holarctic	HAP_SIG2.HTM
<i>Haplodrassus silvestris</i> (Blackwall, 1833)	V	k	3	bv	vh	H. sylvestris		Palearctic	HAP_SIL2.HTM
<i>Haplodrassus soerensenii</i> (Strand, 1900)	V	k	3					Palearctic	HAP_SOE2.HTM
<i>Haplodrassus umbratilis</i> (L. Koch, 1866)	V	k	3	bv	vh			Europe to Kazakhstan	HAP_UMB2.HTM
<i>Micaria aenea</i> Thorell, 1871	N	k	3				D: Muster & Leipold (1999)	Holarctic	MIC_AEN2.HTM
<i>Micaria albovittata</i> (Lucas, 1846)		k	N	bv		M. romana	A: Zulka et al. (1997)	Palearctic	
<i>Micaria alpina</i> L. Koch, 1872			k	3				Holarctic	
<i>Micaria coarctata</i> (Lucas, 1846)			k			M. albimana	D: see M. pulicaria	Mediterranean to Central Asia	
<i>Micaria dives</i> (Lucas, 1846)	V		3	bv	vh			Palearctic	MIC_DIV2.HTM
<i>Micaria formicaria</i> (Sundevall, 1831)	V	k	3	bv	vh	1832		Palearctic	MIC_FOR2.HTM
<i>Micaria fulgens</i> (Walckenaer, 1802)	V	k	3	bv	vh			Europe to Central Asia, North Africa	MIC_FUL2.HTM
<i>Micaria guttulata</i> (C.L. Koch, 1839)	V	k		bv				Europe to Central Asia	MIC_GUT2.HTM
<i>Micaria lenzi</i> Bösenberg, 1899	V				vh			Palearctic	MIC_LEN2.HTM
<i>Micaria nivosa</i> L. Koch, 1866	V	k	3					Europe to Kazakhstan	MIC_NIV2.HTM

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Micaria pulicaria</i> (Sundevall, 1831)	V	k	3	bv	vh	1832; incl. M. "albimana" from Germany, see Bosmans & Blick (2000)		Holarctic	<a href="#">MIC_PUL2.HTM</a>
<i>Micaria rossica</i> Thorell, 1875		k	3					Holarctic	
<i>Micaria silesiaca</i> L. Koch, 1875	V	k	3	bv	vh	<i>M. simplex</i>		Palearctic	<a href="#">MIC_SIL2.HTM</a>
<i>Micaria subopaca</i> Westring, 1861	V	k	3	bv	vh	1862, <i>Arboricaria</i> s. - Platnick did not accept the new genus, but nevertheless it exists, because it is not synonymized		Palearctic	<a href="#">MIC_SUB2.HTM</a>
<i>Nomisia exornata</i> (C.L. Koch, 1839)		k						Europe to Central Asia	
<i>Parasyrisca vinosa</i> (Simon, 1878)		k				<i>Drassodes vinosus</i>		Europe	
<i>Phaeocedus braccatus</i> (L. Koch, 1866)	V	k	g	bv	vh			Palearctic	<a href="#">PHA_BRA2.HTM</a>
<i>Poecilochroa conspicua</i> (L. Koch, 1866)	V	k	3	bv	vh	after Kamura (2001) member of the revalidated genus <i>Kishidaia</i>		Europe to Central Asia	<a href="#">POE_CON2.HTM</a>
<i>Poecilochroa variana</i> (C.L. Koch, 1839)	V	k		bv				Europe to Central Asia	<a href="#">POE_VAR2.HTM</a>
<i>Scotophaeus blackwalli</i> (Thorell, 1871)	V	k	g	bv	vh			Cosmopolitan	<a href="#">SCO_BLA2.HTM</a>
<i>Scotophaeus nanus</i> Wunderlich, 1995			N				A: Wunderlich (1995)	Austria	
<i>Scotophaeus quadripunctatus</i> (Linnaeus, 1758)	V	k	3		N		NL: Heuts (2001)	Europe, Russia	<a href="#">SCO_QUA2.HTM</a>
<i>Scotophaeus scutulatus</i> (L. Koch, 1866)	V	k	3	bv	vh			Europe to Central Asia, Algeria	<a href="#">SCO_SCU2.HTM</a>
<i>Sosticus loricatus</i> (L. Koch, 1866)	V		3					Holarctic	<a href="#">SOS_LOR2.HTM</a>
<i>Synaphosus sauvagei</i> Ovtsharenko, Levy & Platnick, 1994			2					France, Switzerland, Italy	
<i>Trachyzelotes kulczynskii</i> (Bösenberg, 1902)	V							Balkans, Japan, Caribbean, Colombia, Samoa	<a href="#">TRA_KUL2.HTM</a>
<i>Trachyzelotes pedestris</i> (C.L. Koch, 1837)	V	k	3	bv	vh	<i>Zelotes p.</i>		Europe to Azerbaijan	<a href="#">TRA_PED2.HTM</a>
<i>Urozelotes rusticus</i> (L. Koch, 1872)	V	k	g			<i>Zelotes r.</i>		Cosmopolitan	<a href="#">URO_RUS2.HTM</a>
<i>Zelotes aeneus</i> (Simon, 1878)	V	k	3	bv				Europe	<a href="#">ZEL_AEN2.HTM</a>
<i>Zelotes apricorum</i> (L. Koch, 1876)	V	k	3	bv				Europe to Kazakhstan	<a href="#">ZEL_APPR2.HTM</a>
<i>Zelotes atrocaeruleus</i> (Simon, 1878)	V	1	g					Palearctic	<a href="#">ZEL_ATR2.HTM</a>
<i>Zelotes aurantiacus</i> Miller, 1967	V		N				A: Riedl (2000)	Eastern Europe, Russia	<a href="#">ZEL_AUR2.HTM</a>
<i>Zelotes caucasicus</i> (L. Koch, 1866)			g					Europe to Central Asia	
<i>Zelotes civicus</i> (Simon, 1878)			k					Europe	
<i>Zelotes clivicola</i> (L. Koch, 1870)	V	k	3					Palearctic	<a href="#">ZEL_CLI2.HTM</a>
<i>Zelotes declinans</i> (Kulczynski, 1897)			g					Palearctic	
<i>Zelotes devotus</i> Grimm, 1982			2	3				Europe	
<i>Zelotes electus</i> (C.L. Koch, 1839)	V	k	kh	bv	vh			Europe to Central Asia	<a href="#">ZEL_ELE2.HTM</a>
<i>Zelotes erebeus</i> (Thorell, 1871)	V	k	3	bv		1870		Europe to Georgia	<a href="#">ZEL_ERE2.HTM</a>

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Zelotes exiguus</i> (Müller & Schenkel, 1895)	V	k	3					Palearctic	<a href="#">ZEL_EXI2.HTM</a>
<i>Zelotes gallicus</i> Simon, 1914			k					Europe, Russia	
<i>Zelotes gracilis</i> (Canestrini, 1868)				g				Europe, Russia	
<i>Zelotes hermani</i> (Chyzer, 1897)			2	ks				Italy, Eastern Europe, Russia	
<i>Zelotes latreillei</i> (Simon, 1878)	V	k	3	bv	vh			Europe to Azerbaijan	<a href="#">ZEL_LAT2.HTM</a>
<i>Zelotes longipes</i> (L. Koch, 1866)	V	k	g	bv	vh			Palearctic	<a href="#">ZEL_LON2.HTM</a>
<i>Zelotes mundus</i> (Kulczynski, 1897)				N			A: Zulka et al. (1997), Bauchhenß et al. (1997)	Hungary, Austria, Romania, Russia	
<i>Zelotes oblongus</i> (C.L. Koch, 1833)	V	k	g			1839		Europe	<a href="#">ZEL_OBL2.HTM</a>
<i>Zelotes petrensis</i> (C.L. Koch, 1839)	V	k	3	bv	vh			Europe to Central Asia	<a href="#">ZEL_PET2.HTM</a>
<i>Zelotes pseudoclivicola</i> Grimm, 1982	V	1		bv				Europe, Russia	<a href="#">ZEL_PSE2.HTM</a>
<i>Zelotes puritanus</i> Chamberlin, 1922	V	k	3					Holarctic	<a href="#">ZEL_PUR2.HTM</a>
<i>Zelotes pygmaeus</i> Miller, 1943				N			A: Malicky (1972a)	Europe to Kazakhstan	
<i>Zelotes similis</i> (Kulczynski, 1887)	V	k	3					Europe	<a href="#">ZEL_SIM2.HTM</a>
<i>Zelotes subterraneus</i> (C.L. Koch, 1833)	V	k	3	bv	vh			Palearctic	<a href="#">ZEL_SUB2.HTM</a>
<i>Zelotes talpinus</i> (L. Koch, 1872)			k	3				Europe	
<i>Zelotes tenuis</i> (L. Koch, 1866)				2				Mediterranean, USA	
<i>Zelotes zellensis</i> Grimm, 1982	N		g			Z. aeneus ad part. (alpine), first descr. of male: Muster & Thaler (2000)	D: Muster & Thaler (2000)	Germany, Austria	<a href="#">ZEL_ZEL2.HTM</a>

## Zoridae

<i>Zora alpina</i> Kulczynski, 1915			k			Z. nigrimana		Switzerland, Austria	
<i>Zora armillata</i> Simon, 1878	V			N			A: Zulka et al. (1997)	Europe, Russia	<a href="#">ZOR_ARM2.HTM</a>
<i>Zora manicata</i> Simon, 1878	V	k						Europe, Ukraine	<a href="#">ZOR_MAN2.HTM</a>
<i>Zora nemoralis</i> (Blackwall, 1861)	V	k	4	bv	vh			Palearctic	<a href="#">ZOR_NEM2.HTM</a>
<i>Zora parallela</i> Simon, 1878	V	2		bv	vh			Europe, Russia	<a href="#">ZOR_PAR2.HTM</a>
<i>Zora pardalis</i> Simon, 1878				N	vh		A: Riedl (2000)	Europe to Kazakhstan	
<i>Zora silvestris</i> Kulczynski, 1897	V	k	4	bv	vh			Europe to Central Asia	<a href="#">ZOR_SIL2.HTM</a>
<i>Zora spinimana</i> (Sundevall, 1833)	V	k	4	bv	vh			Palearctic	<a href="#">ZOR_SPI2.HTM</a>

## Sparassidae

<i>Heteropoda venatoria</i> (Linnaeus, 1767)	N	N		S	1758; only in warmhouses and similar locations	D: Tolke & Hiebsch (1995), CH: Jäger (2000)	Pantropical		<a href="#">HET_VEN2.HTM</a>
<i>Micrommata virescens</i> (Clerck, 1757)	V	k	4	bv	M. roseum			Palearctic	<a href="#">MIC_VIR2.HTM</a>
<i>Tychicus longipes</i> (Walckenaer, 1837)				S	only in warmhouses and similar locations			Amboina	

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<b>Philodromidae</b>									
<i>Paratibelus oblongiusculus</i> (Lucas, 1846)			k					Europe to Central Asia	
<i>Philodromus albidus</i> Kulczynski, 1911	V	k	4	bv	vh	P. rufus auct.		Western Europe	PHI_ALB2.HTM
<i>Philodromus aureolus</i> (Clerck, 1757)	V	k	4	bv	vh	P. a. aureolus, P. a. variegatus (vgl. Platnick 1998)		Palearctic	PHI_AUR2.HTM
<i>Philodromus buddenbrocki</i> Braun, 1965			N				A: Jäger (1995a)	Austria, Bulgaria, Ukraine	
<i>Philodromus buxi</i> Simon, 1884	V	k		bv	vh	P. b. buxi		Europe to Kazakhstan	PHI_BUX2.HTM
<i>Philodromus cespitum</i> (Walckenaer, 1802)	V	k	4	bv	vh	P. c. cespitum, P. c. similis		Holarctic	PHI_CES2.HTM
<i>Philodromus cespitum rufolimbatus</i> Kulczynski, 1891			k					Europe	
<i>Philodromus collinus</i> C.L. Koch, 1835	V	k	4	bv	vh	P. c. collinus		Europe, Russia	PHI_COL2.HTM
<i>Philodromus corticinus</i> (C.L. Koch, 1837)	V	k	4					Europe, Russia	PHI_COR2.HTM
<i>Philodromus depriesteri</i> Braun, 1965	V		N				A: Braun (1965)	Austria, Germany	PHI_DEP2.HTM
<i>Philodromus dispar</i> Walckenaer, 1826	V	k	4	bv	vh			Europe to Central Asia	PHI_DIS2.HTM
<i>Philodromus emarginatus</i> (Schrank, 1803)	V	k	4	bv	vh			Palearctic	PHI_EMA2.HTM
<i>Philodromus fallax</i> Sundevall, 1833	V			bv	vh			Palearctic	PHI_FAL2.HTM
<i>Philodromus fuscomarginatus</i> (De Geer, 1778)	V	k	4					Palearctic	PHI_FUS2.HTM
<i>Philodromus histrio</i> (Latreille, 1819)	V	k	N	bv	vh		A: Nemenz (1958)	Holarctic	PHI_HIS2.HTM
<i>Philodromus longipalpis</i> Simon, 1870	N	k		bv	vh	P. cespitum pallens (vgl. Platnick 1998)	D: Jäger & Kreuels (1995)	Europe	PHI_LON2.HTM
<i>Philodromus margaritatus</i> (Clerck, 1757)	V	k	4	bv	vh			Palearctic	PHI_MAR2.HTM
<i>Philodromus poecilus</i> (Thorell, 1872)	V	k	kh		vh			Palearctic	PHI_POE2.HTM
<i>Philodromus praedatus</i> O. P.-Cambridge, 1871	V	k		bv	vh			Europe, Russia	PHI_PRA2.HTM
<i>Philodromus pulchellus</i> Lucas, 1846			N				A: Jäger (1995a)	Mediterranean	
<i>Philodromus rufus</i> Walckenaer, 1826	V	k	kh	bv	vh			Holarctic	PHI_RUF2.HTM
<i>Philodromus vagulus</i> Simon, 1875	V	k	4					Europe, Russia	PHI_VAG2.HTM
<i>Thanatus arenarius</i> L. Koch, 1872	V		N	bv		Thorell, 1872	A: Malicky (1972a)	Europe to Central Asia	THA_ARE2.HTM
<i>Thanatus atratus</i> Simon, 1875	V	2	N			T. vulgaris auct.	A: Jäger (1995a)	Palearctic	THA_ATR2.HTM
<i>Thanatus coloradensis</i> Keyserling, 1880			k	4		T. alpinus		Holarctic	
<i>Thanatus formicinus</i> (Clerck, 1757)	V	k	4	bv	vh			Holarctic	THA_FOR2.HTM
<i>Thanatus pictus</i> L. Koch, 1881	V		N				A: Malicky (1972a)	Palearctic	THA_PIC2.HTM
<i>Thanatus sabulosus</i> (Menge, 1875)	V	k	4			1874		Palearctic	THA_SAB2.HTM
<i>Thanatus striatus</i> C.L. Koch, 1845	V	k	4	bv	vh			Holarctic	THA_STR2.HTM

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Thanatus vulgaris</i> Simon, 1870			N			see <i>T. atratus</i> ; but after Szita & Samu (2000) there is only <i>atratus</i> and no <i>T. vulgaris</i> in Hungary, so Austrian specimens should be checked again	A: Priester et al. (1999), Malicky (1972a) ? - <i>vulgaris</i> s.str. ?	Holarctic	
<i>Tibellus macellus</i> Simon, 1875			k					Europe to Central Asia	
<i>Tibellus maritimus</i> (Menge, 1875)	V	k	N	bv	vh		A: Nemenz (1958)	Holarctic	TIB_MAR2.HTM
<i>Tibellus oblongus</i> (Walckenaer, 1802)	V	k	4	bv	vh			Holarctic	TIB_OBL2.HTM
<b>Thomisidae</b>									
<i>Coriarachne depressa</i> (C.L. Koch, 1837)	V	k	4	bv	vh			Palearctic	COR_DEP2.HTM
<i>Diae dorsata</i> (Fabricius, 1777)	V	k	4	bv	vh			Palearctic	DIA_DOR2.HTM
<i>Diae livens</i> Simon, 1876	V	k	4			D. pictilis		USA, Central Europe to Azerbaijan	DIA_LIV2.HTM
<i>Heriaeus graminicola</i> (Doleschall, 1852)	V	k	N	bv		1882, H. hirtus auct.	A: Jäger (1995a)	Europe to Central Asia	HER_GRA2.HTM
<i>Heriaeus mellotteei</i> Simon, 1886	V	k	N			H. mellotteei, H. oblongus, H. hirsutus auct.	A: Jäger (1995a)	Palearctic	HER_MEL2.HTM
<i>Misumena vatia</i> (Clerck, 1757)	V	k	4	bv	vh			Palearctic	MIS_VAT2.HTM
<i>Misumenops tricuspidatus</i> (Fabricius, 1775)	V	k	4	bv	vh			Palearctic	MIS_TRI2.HTM
<i>Ozyptila atomaria</i> (Panzer, 1801)	V	k	4	bv	vh	1810; <i>Oxyptila</i> (whole genus)		Palearctic	OZY_ATO2.HTM
<i>Ozyptila blackwalli</i> Simon, 1875	V	k	kh	bv	vh			Palearctic	OZY_BLA2.HTM
<i>Ozyptila brevipes</i> (Hahn, 1826)	V	k	kh	bv	vh	1831		Palearctic	OZY_BRE2.HTM
<i>Ozyptila claveata</i> (Walckenaer, 1837)	V	k	4	bv	vh	O. nigrita		Palearctic	OZY_CLA2.HTM
<i>Ozyptila gertschi</i> Kurata, 1944	V							Holarctic	OZY_GER2.HTM
<i>Ozyptila praticola</i> (C.L. Koch, 1837)	V	k	4	bv	vh			Holarctic	OZY_PRA2.HTM
<i>Ozyptila pullata</i> (Thorell, 1875)	V	2	N	bv	vh	O. kotulai	A: Malicky (1972a)	Palearctic	OZY_PUL2.HTM
<i>Ozyptila rauda</i> Simon, 1875	V	k	4	bv				Palearctic	OZY_RAU2.HTM
<i>Ozyptila sanctuaria</i> (O. P.-Cambridge, 1871)	V	1		bv	vh			Europe	OZY_SAN2.HTM
<i>Ozyptila scabricula</i> (Westring, 1851)	V	k	4	bv	vh			Palearctic	OZY_SCA2.HTM
<i>Ozyptila secreta</i> Thaler, 1987			k					Switzerland, Italy	
<i>Ozyptila simplex</i> (O. P.-Cambridge, 1862)	V	k	4	bv	vh			Palearctic	OZY_SIM2.HTM
<i>Ozyptila trux</i> (Blackwall, 1846)	V	k	4	bv	vh			Palearctic (Canada, introduced)	OZY_TRU2.HTM
<i>Ozyptila westringi</i> (Thorell, 1873)	V				vh	O. trux auct. (coastal habitats)		Netherlands, Germany	OZY_WES2.HTM
<i>Pistius truncatus</i> (Pallas, 1772)	V	k	4	bv	vh			Palearctic	PIS_TRU2.HTM
<i>Runcinia grammica</i> (C.L. Koch, 1837)	V							Palearctic, St. Helena, South Africa	RUN_GRA2.HTM
<i>Synema globosum</i> (Fabricius, 1775)	V	k	4	bv	vh	Synaema g.		Palearctic	SYN_GLO2.HTM
<i>Thomisus onustus</i> Walckenaer, 1805	V	k	N	bv	vh	1806	A: Hebar (1980)	Palearctic	THO_ONU2.HTM
<i>Tmarus piger</i> (Walckenaer, 1802)	V	k	4	bv	vh			Palearctic	TMA_PIG2.HTM

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Tmarus stellio</i> Simon, 1875		2	N				A: Jäger (1995a)	Palearctic	
<i>Xysticus acerbus</i> Thorell, 1872	V	k	4	bv	vh			Europe to Central Asia	XYS_ACE2.HTM
<i>Xysticus albomaculatus</i> Kulczynski, 1891	V							Germany to Russia	XYS_ALB2.HTM
<i>Xysticus audax</i> (Schrank, 1803)	V	k	4	bv	vh			Palearctic	XYS_AUD2.HTM
<i>Xysticus bifasciatus</i> C.L. Koch, 1837	V	k	4	bv	vh			Palearctic	XYS_BIF2.HTM
<i>Xysticus bonneti</i> Denis, 1938			4			X. johannislupi		Palearctic	
<i>Xysticus cor</i> Canestrini, 1873			k	4		with parentheses		Southern Europe, Azores	
<i>Xysticus cristatus</i> (Clerck, 1757)	V	k	4	bv	vh			Palearctic	XYS_CRI2.HTM
<i>Xysticus desidiosus</i> Simon, 1875	V	k	4					France, Corsica, Switzerland, Balkans, Bulgaria	XYS_DES2.HTM
<i>Xysticus embriki</i> Kolosváry, 1935				N			A: Malicky (1972a)	Austria to Kazakhstan	
<i>Xysticus erraticus</i> (Blackwall, 1834)	V	k	4	bv	vh			Europe, Russia	XYS_ERR2.HTM
<i>Xysticus ferrugineus</i> Menge, 1876	V			bv	vh			Palearctic	XYS_FER2.HTM
<i>Xysticus gallicus</i> Simon, 1875	V	k	4					Palearctic	XYS_GAL2.HTM
<i>Xysticus kempeleni</i> Thorell, 1872	V	k		bv	vh	X. kempelinii (lapsus)		Europe to Central Asia	XYS_KEM2.HTM
<i>Xysticus kochi</i> Thorell, 1872	V	k	4	bv	vh			Europe, Mediterranean to Central Asia	XYS_KOC2.HTM
<i>Xysticus lanio</i> C.L. Koch, 1835	V	k	4	bv	vh	1824		Palearctic	XYS_LAN2.HTM
<i>Xysticus lineatus</i> (Westring, 1851)	V	k	N	bv			A: Breuss (1996)	Palearctic	XYS_LIN2.HTM
<i>Xysticus luctator</i> L. Koch, 1870	V	k	4	bv	vh	X. cambridgei auct.		Palearctic	XYS_LUC2.HTM
<i>Xysticus luctuosus</i> (Blackwall, 1836)	V	k	4	bv	vh			Holarctic	XYS LU22.HTM
<i>Xysticus macedonicus</i> Silhavy, 1944	N		4				D: Muster (2000)	Germany, Austria, Balkans	XYS_MAC2.HTM
<i>Xysticus ninnii</i> Thorell, 1872	V	k	4	bv	vh	X. n. ninnii		Palearctic	XYS_NIN2.HTM
<i>Xysticus obscurus</i> Collett, 1877				4				Holarctic	
<i>Xysticus paniscus</i> L. Koch, 1875	V							Germany	XYS_PAN2.HTM
<i>Xysticus robustus</i> (Hahn, 1832)	V	k	4	bv	vh			Europe to Central Asia	XYS_ROB2.HTM
<i>Xysticus sabulosus</i> (Hahn, 1832)	V	k	kh	bv	vh			Palearctic	XYS_SAB2.HTM
<i>Xysticus secedens</i> L. Koch, 1876				4				Austria	
<i>Xysticus striatipes</i> L. Koch, 1870	V	k		bv				Palearctic	XYS_STR2.HTM
<i>Xysticus ulmi</i> (Hahn, 1831)	V	k	4	bv	vh	1832		Palearctic	XYS_ULM2.HTM
<i>Xysticus viduus</i> Kulczynski, 1898	V		4					Palearctic	XYS_VID2.HTM

## Salticidae

<i>Aelurillus v-insignitus</i> (Clerck, 1757)	V	k	4	bv	vh	Phlegra insignita		Palearctic	AEL_V_I2.HTM
<i>Asianellus festivus</i> (C.L. Koch, 1834)	V	k	kh			Phlegra festiva		Palearctic	ASI_FES2.HTM
<i>Ballus chalybeius</i> (Walckenaer, 1802)	V	k	4	bv	vh	B. depressus		Europe, North Africa to Central Asia	BAL_CHA2.HTM
<i>Ballus rufipes</i> (Simon, 1868)	V							Europe, North Africa	BAL_RUF2.HTM
<i>Carrhotus xanthogramma</i> (Latreille, 1819)	V	k	kh					Palearctic	CAR_XAN2.HTM

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Chalcoscirtus alpicola</i> (L. Koch, 1876)	N		4				D: Muster (2000)	Holarctic	CHA_ALP2.HTM
<i>Chalcoscirtus brevicymbialis</i> Wunderlich, 1980	N		N			C. pseudoinfimus auct.	D: Malt et al. (1998), A: Wunderlich (1980)	Austria to Kazakhstan	CHA_BRE2.HTM
<i>Chalcoscirtus infimus</i> (Simon, 1868)	V	k	kh					Southern Europe to Central Asia	CHA_INF2.HTM
<i>Chalcoscirtus nigritus</i> (Thorell, 1875)	V							Palearctic	CHA_NIG2.HTM
<i>Dendryphantes hastatus</i> (Clerck, 1757)	V	k	ks			1758		Palearctic	DEN_HAS2.HTM
<i>Dendryphantes rufus</i> (Sundevall, 1833)	V	k	4	bv	vh	1832		Palearctic	DEN_RUD2.HTM
<i>Euophrys frontalis</i> (Walckenaer, 1802)	V	k	4	bv	vh			Palearctic	EUO_FRO2.HTM
<i>Euophrys herbigrada</i> (Simon, 1871)	V	k	ks		vh			Europe	EUO_HER2.HTM
<i>Euophrys milleri</i> Brignoli, 1983	V					Talavera m.		Germany, Czech Rep.	EUO_MIL2.HTM
<i>Euophrys terrestris</i> (Simon, 1871)			k			1876		Europe	
<i>Evarcha arcuata</i> (Clerck, 1757)	V	k	4	bv	vh			Palearctic	EVA_ARC2.HTM
<i>Evarcha falcata</i> (Clerck, 1757)	V	k	4	bv	vh	E. flammata		Palearctic	EVA_FAL2.HTM
<i>Evarcha jucunda</i> (Lucas, 1846)				bv-S		only in warmhouses and similar locations		Mediterranean	
<i>Evarcha laeta</i> (C.L. Koch, 1846)	V	k	kh	bv	vh	1848		Palearctic	EVA_LAE2.HTM
<i>Hasarius adansoni</i> (Audouin, 1826)	V	N		bv-S	S	(Savigny & Audouin, 1825); CH: Holzapfel (1932) only in warmhouses and similar locations		Cosmopolitan	HAS_ADA2.HTM
<i>Heliophanus aeneus</i> (Hahn, 1832)	V	k	4	bv	vh	1831		Palearctic	HEL_AEN2.HTM
<i>Heliophanus auratus</i> C.L. Koch, 1835	V	k	kh	bv	vh			Palearctic	HEL_AUR2.HTM
<i>Heliophanus cupreus</i> (Walckenaer, 1802)	V	k	4	bv	vh			Palearctic	HEL_CUP2.HTM
<i>Heliophanus dampfi</i> Schenkel, 1923	V	k		bv				Europe, Russia	HEL_DAM2.HTM
<i>Heliophanus dubius</i> C.L. Koch, 1835	V	k	4	bv	vh	1848		Palearctic	HEL_DUB2.HTM
<i>Heliophanus flavipes</i> (Hahn, 1832)	V	k	4	bv	vh	without parentheses		Palearctic	HEL_FLA2.HTM
<i>Heliophanus kochii</i> Simon, 1868	V	k	N		vh	H. kochi	A: Jäger (1995a)	Palearctic	HEL_KOC2.HTM
<i>Heliophanus lineiventris</i> Simon, 1868	N	k	4				D: Muster & Leipold (1999), Sacher & Metzner (1999), Sacher & Breinl (1999)	Palearctic	HEL_LIN2.HTM
<i>Heliophanus melinus</i> L. Koch, 1867			k					Palearctic	
<i>Heliophanus patagiatus</i> Thorell, 1875	V	k	4					Palearctic	HEL_PAT2.HTM
<i>Heliophanus simplex</i> Simon, 1868				N			A: Nemenz (1959)	Palearctic	
<i>Heliophanus tribulosus</i> Simon, 1868	V	k		bv				Europe to Kazakhstan	HEL_TRI2.HTM
<i>Icius subinermis</i> Simon, 1937	V	k						Western Mediterranean, Germany	ICI_SUB2.HTM
<i>Leptorchestes berolinensis</i> (C.L. Koch, 1846)	V	k	4	bv				Europe to Turkmenistan	LEP_BER2.HTM
<i>Leptorchestes mutilloides</i> (Lucas, 1846)			k	N			A: Wesolowska & Szerejewski (2001)	Southern Europe, Algeria	
<i>Macaroeris nidicolens</i> (Walckenaer, 1802)	V		4	bv		Eris n., Dendryphantes n.		Germany, Mediterranean to Central Asia	MAC_NID2.HTM

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Marpissa muscosa</i> (Clerck, 1757)	V	k	4	bv	vh			Palearctic	<a href="#">MAR_MUS2.HTM</a>
<i>Marpissa nivoyi</i> (Lucas, 1846)	V	k	N	bv	vh		A: Schaberreiter (1999)	Palearctic	<a href="#">MAR_NIV2.HTM</a>
<i>Marpissa pomata</i> (Walckenaer, 1802)	V	k		bv	vh			Palearctic	<a href="#">MAR_POM2.HTM</a>
<i>Marpissa radiata</i> (Grube, 1859)	V	k	ks	bv	vh			Palearctic	<a href="#">MAR_RAD2.HTM</a>
<i>Mendoza canestrinii</i> (Ninni, 1868)		k	N			Marpissa, Mithion, 1869	A: Nemenz (1967)	North Africa, Palearctic	
<i>Menemerus falsificus</i> Simon, 1868			k					Southern Europe	
<i>Myrmarachne formicaria</i> (De Geer, 1778)	V	k	4	bv	vh			Palearctic	<a href="#">MYR_FOR2.HTM</a>
<i>Neaetha membrosa</i> (Simon, 1868)	V					N. membranosa		Mediterranean	<a href="#">NEA_MEM2.HTM</a>
<i>Neon levis</i> (Simon, 1871)	V	k	4			N. laevis		Palearctic	<a href="#">NEO_LEV2.HTM</a>
<i>Neon rayi</i> (Simon, 1875)	V			bv				Southern, Eastern Europe to Kazakhstan	<a href="#">NEO_RAY2.HTM</a>
<i>Neon reticulatus</i> (Blackwall, 1853)	V	k	4	bv	vh			Holarctic	<a href="#">NEO_RET2.HTM</a>
<i>Neon valentulus</i> Falconer, 1912	V	k	N	bv	vh		A: Steinberger & Meyer (1995)	Europe to Central Asia	<a href="#">NEO_VAL2.HTM</a>
<i>Pellenes brevis</i> (Simon, 1868)	V					P. arcigerus auct.		Spain, France, Germany, Rhodes	<a href="#">PEL_BRE2.HTM</a>
<i>Pellenes lapponicus</i> (Sundevall, 1833)		k	4					Palearctic	
<i>Pellenes nigrociliatus</i> (Simon, 1875)	V	k				(L. Koch, 1875)		Palearctic	<a href="#">PEL_NIG2.HTM</a>
<i>Pellenes tripunctatus</i> (Walckenaer, 1802)	V	k	4	bv	vh			Palearctic	<a href="#">PEL_TRI2.HTM</a>
<i>Philaeus chrysops</i> (Poda, 1761)	V	k	4					Palearctic	<a href="#">PHI_CHR2.HTM</a>
<i>Phlegra fasciata</i> (Hahn, 1826)	V	k	4	bv	vh	P. delesserti		Palearctic	<a href="#">PHL_FAS2.HTM</a>
<i>Phlegra fuscipes</i> Kulczynski, 1891			N				A: Malicky (1972a)	Palearctic	
<i>Pseudeuophrys erratica</i> (Walckenaer, 1826)	V	k	4	bv		1825, Euophrys e.		Palearctic (USA, introduced)	<a href="#">PSE_ERR2.HTM</a>
<i>Pseudeuophrys lanigera</i> (Simon, 1871)	V	k	4	bv	vh	Euophrys l.		Western Europe	<a href="#">PSE_LAN2.HTM</a>
<i>Pseudeuophrys obsoleta</i> (Simon, 1868)	N		ks			Euophrys o., P. browningi - synonymy with P. browningi not accepted by Platen et al. (1999)	D: Platen et al. (1999)	Palearctic	<a href="#">PSE_BRO2.HTM</a>
<i>Pseudeuophrys vafra</i> (Blackwall, 1867)		k				Euophrys v.		Azores, Madeira, Mediterranean	
<i>Pseudicius encarpatus</i> (Walckenaer, 1802)	V	k	kh	bv		1803		Europe to Kazakhstan	<a href="#">PSE_ENC2.HTM</a>
<i>Saitis barbipes</i> (Simon, 1868)	V	k			N	without parantheses	NL: van Helsdingen (2000)	Mediterranean	<a href="#">SAI_BAR2.HTM</a>
<i>Salticus cingulatus</i> (Panzer, 1797)	V	k	4	bv	vh			Palearctic	<a href="#">SAL_CIN2.HTM</a>
<i>Salticus scenicus</i> (Clerck, 1757)	V	k	4	bv	vh			Holarctic	<a href="#">SAL_SCE2.HTM</a>
<i>Salticus unciger</i> (Simon, 1868)			k					Southern Europe	
<i>Salticus zebraneus</i> (C.L. Koch, 1837)	V	k	4	bv	vh			Palearctic	<a href="#">SAL_ZEB2.HTM</a>
<i>Sibianor aurocinctus</i> (Ohlert, 1865)	V	k	4	bv	vh	Bianor a., see Logunov (2001)		Palearctic	<a href="#">BIA_AUR2.HTM</a>

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Sibianor tantulus</i> (Simon, 1868)	N					after Logunov (2001) all records of Sibianor should be checked - even for the third possible species: <i>Bianor aurocinctus</i> auct.; <i>S. larae</i> (esp. in the north)	D: Logunov (2001)	Palearctic	SIB_TAN2.HTM##
<i>Sitticus caricis</i> (Westring, 1861)	V	k	4	bv	vh			Palearctic	SIT_CAR2.HTM
<i>Sitticus distinguendus</i> (Simon, 1868)	V	k	4	bv	vh	S. histrio, S. helveolus, Attulus h. (see note at Attulus by Platnick 2000)		Palearctic	SIT_DIS2.HTM
<i>Sitticus dzieduszyckii</i> (L. Koch, 1870)	V							Europe, Russia	SIT_DZI2.HTM
<i>Sitticus floricola</i> (C.L. Koch, 1837)	V	k	4	bv	vh			Palearctic	SIT_FLO2.HTM
<i>Sitticus inexpectus</i> Logunov & Kronestedt, 1997	N		N			S. rupicola auct. - lowland and coastal records	D, A: Logunov & Kronestedt (1997)	Europe to Central Asia	SIT_INE2.HTM
<i>Sitticus longipes</i> (Canestrini, 1873)			k	4				Europe	
<i>Sitticus penicillatus</i> (Simon, 1875)	V	k	4					Palearctic	SIT_PEN2.HTM
<i>Sitticus pubescens</i> (Fabricius, 1775)	V	k	4	bv	vh			Europe, Russia, USA	SIT_PUB2.HTM
<i>Sitticus rupicola</i> (C.L. Koch, 1837)	V	k	4			see also <i>S. inexpectus</i>		Holarctic	SIT_RUP2.HTM
<i>Sitticus saltator</i> (O. P.-Cambridge, 1868)	V		N	bv	vh	Attulus s.	A: Malicky (1972b)	Palearctic	SIT_SAL2.HTM
<i>Sitticus saxicola</i> (C.L. Koch, 1846)	V	k	4			1848		Palearctic	SIT_SAX2.HTM
<i>Sitticus terebratus</i> (Clerck, 1757)	V	k	4					Palearctic	SIT_TER2.HTM
<i>Sitticus zimmermanni</i> (Simon, 1877)	V	k	4					Palearctic	SIT_ZIM2.HTM
<i>Synageles hilarulus</i> (C.L. Koch, 1846)	V	k	4	bv	vh			Palearctic	SYN_HIL2.HTM
<i>Synageles subcingulatus</i> (Simon, 1878)			k	4		S. lepidus auct.		Europe to Central Asia	
<i>Synageles venator</i> (Lucas, 1836)	V	k	4	bv	vh			Palearctic	SYN_VEN2.HTM
<i>Talavera aequipes</i> (O. P.-Cambridge, 1871)	V	k	4	bv	vh	Euophrys a.		Palearctic	TAL_AEQ2.HTM
<i>Talavera inopinata</i> Wunderlich, 1993	V	1						Switzerland, Germany	TAL_INO2.HTM
<i>Talavera monticola</i> (Kulczynski, 1884)	N/V	k/1	4/N	bv		Euophrys m., Euophrys a., T. aperta - the synonymy of T. aperta mentioned by Platnick will not last for long, revalidation by Logunov is in press (J. Natural History)	D: Muster & Leipold (1999): first record of <i>T. monticola</i> s.str.; A: Roth (1999): first record of <i>T. aperta</i>	Europe, Russia	TAL_MON2.HTM
<i>Talavera petrensis</i> (C.L. Koch, 1837)	V	k	4	bv	vh	Euophrys p.		Palearctic	TAL_PET2.HTM
<i>Talavera thorelli</i> (Kulczynski, 1891)	V		4			Euophrys t.		Palearctic	TAL_THO2.HTM
<i>Talavera westringi</i> (Simon, 1868)	V	k	N			T. poecilopus, Euophrys	A: Rupp (1999)	Europe	TAL_WES2.HTM
<i>Yllenus arenarius</i> Menge, 1868	V					Simon		Europe to Azerbaijan	YLL_ARE2.HTM

## Opiliones

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<b>Sironidae</b>									
<i>Siro duricorius</i> (Joseph, 1808)					m				
<b>Travuniidae</b>									
<i>Peltonychia leprieuri</i> (Lucas, 1860)				m					
<b>Cladonychiidae</b>									
<i>Holoscotolemon unicolor</i> Roewer, 1915	V			m					HOL_UNI2.HTM
<b>Nemastomatidae</b>									
<i>Carinostoma carinatum</i> (Roewer, 1914)				m					
<i>Histicostoma dentipalpe</i> (Ausserer, 1867)	V	m	m						HIS_DEN2.HTM
<i>Mitostoma alpinum</i> (Hadzi, 1931)				m					
<i>Mitostoma chrysomelas</i> (Hermann, 1804)	V	m	m	lvh	m				MIT_CHR2.HTM
<i>Nemastoma bidentatum</i> <i>bidentatum</i> Roewer, 1914				m					
<i>Nemastoma bidentatum</i> <i>relictum</i> Gruber & Martens, 1968				m					
<i>Nemastoma bidentatum</i> <i>sparsum</i> Gruber & Martens, 1968				m					
<i>Nemastoma bimaculatum</i> (Fabricius, 1775)	V			lvh					NEM_BIM2.HTM
<i>Nemastoma dentigerum</i> Canestrini, 1873	V	m			N		NL: Spoek (1963), Wijnhoven (1998b)		NEM_DEN2.HTM
<i>Nemastoma lugubre</i> (Müller, 1776)	V	m	m	lvh	m				NEM_LUG2.HTM
<i>Nemastoma schuelleri</i> Gruber & Martens, 1968				m					
<i>Nemastoma triste</i> (C.L. Koch, 1835)	V		m	m					NEM_TRI2.HTM
<i>Paranemastoma bicuspidatum</i> (C.L. Koch, 1835)	V	m	m						PAR_BIC2.HTM
<i>Paranemastoma quadripunctatum</i> (Perty, 1833)	V	m	m	lvh	m				PAR_QUA2.HTM
<b>Dicranolasmatidae</b>									
<i>Dicranolasma scabrum</i> (Herbst, 1799)				m					
<b>Trogulidae</b>									
<i>Anelasmoecephalus cambridgei</i> (Westwood, 1874)	V	m	m	lvh	m				ANE_CAM2.HTM
<i>Anelasmoecephalus hadzii</i> Martens, 1978		m	m						
<i>Anelasmoecephalus rufitarsis</i> Simon, 1879		N				CH: Martens & Chemini (1988)			
<i>Trogulus cisalpinus</i> Chemini & Martens, 1988		N				CH: Cotti (1989)			
<i>Trogulus closanicus</i> Avram, 1971	V	N	k			CH: Weiβ et al. (1998)			TRO_CLO2.HTM
<i>Trogulus falcipenis</i> Komposch, 2000			k		see Komposch (2000a)				

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Trogulus martensi</i> Chemini, 1983	N	N					CH: Weiß et al. (1998); D: Malten (1999 Internet)		TRO_MAR2.HTM
<i>Trogulus nepaeformis</i> (Scopoli, 1763)	V	m	m	lvh		frequently used s.lat. - see <i>T. closanicus</i> and <i>T. martensi</i>			TRO_NEP2.HTM
<i>Trogulus tingiformis</i> (C.L. Koch, 1847)	V		m			1848 (see Brignoli 1985)			TRO_TIN2.HTM
<i>Trogulus tricarinatus</i> (Linnaeus, 1767)	V	m	m	lvh	m	1758 (lapsus)			TRO_TRI2.HTM
<b>Ischyropsalididae</b>									
<i>Ischyropsalis carli</i> Lessert, 1905	V	m	m						ISC_CAR2.HTM
<i>Ischyropsalis hadzii</i> Roewer, 1950						m			
<i>Ischyropsalis hellwigi hellwigi</i> (Panzer, 1794)	V		m			m			ISC_HEL2.HTM
<i>Ischyropsalis helvetica</i> Roewer, 1916			m	m					
<i>Ischyropsalis kollaris</i> C.L. Koch, 1839						m			
<b>Phalangiidae</b>									
<i>Amilenus aurantiacus</i> (Simon, 1881)	V	m	m	lvh					AMI_AUR2.HTM
<i>Astrobunus bernardinus</i> Simon, 1879				m					
<i>Astrobunus helleri</i> (Ausserer, 1867)			m	m					
<i>Astrobunus laevipes</i> (Canestrini, 1872)	V		m						AST_LAE2.HTM
<i>Dasylobus graniferus</i> (Canestrini, 1871)			m	m		Eudasyllobus nicaeensis			
<i>Dasylobus ligusticus</i> (Roewer, 1923)			m			Eudasyllobus l.			
<i>Dicranopalpus gasteinensis</i> Doleschall, 1852	V	m	m						DIC_GAS2.HTM
<i>Dicranopalpus ramosus</i> (Simon, 1909)				lvh	N		NL: Cuppen (1994)		
<i>Egaenus convexus</i> (C.L. Koch, 1835)				m					
<i>Gyas annulatus</i> (Olivier, 1791)	V		m						GYA_ANN2.HTM
<i>Gyas titanus</i> Simon, 1879	V	m	m						GYA_TIT2.HTM
<i>Homalenotus quadridentatus</i> (Cuvier, 1795)			m		lvh	m			
<i>Lacinius dentiger</i> (C.L. Koch, 1847)	V		m			1848 (see Brignoli 1985)			LAC_DEN2.HTM
<i>Lacinius ephippiatus</i> (C.L. Koch, 1835)	V	m	m	lvh	m				LAC_EPH2.HTM
<i>Lacinius horridus</i> (Panzer, 1794)	V	m	m	lvh					LAC_HOR2.HTM
<i>Leiobunum blackwalli</i> Meade, 1861	V	m		lvh	m				LEI_BLA2.HTM
<i>Leiobunum limbatum</i> L. Koch, 1861	V	m	m						LEI_LIM2.HTM
<i>Leiobunum roseum</i> C.L. Koch, 1839				m					
<i>Leiobunum rotundum</i> (Latreille, 1798)	V	m	m	lvh	m				LEI_ROT2.HTM
<i>Leiobunum rupestre</i> (Herbst, 1799)	V	m	m						LEI_RUP2.HTM
<i>Leiobunum subalpinum</i> Komposch, 1998				k		see Komposch (1998)			
<i>Lophopilio palpalialis</i> (Herbst, 1799)	V	m	m	lvh	m				LOP_PAL2.HTM

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Megabunus armatus</i> (Kulczynski, 1887)					m				
<i>Megabunus lesserti</i> Schenkel, 1927	V	m	m						MEG_LES2.HTM
<i>Megabunus rhinoceros</i> (Canestrini, 1872)					m				
<i>Mitopus glacialis</i> (Heer, 1845)	N	m	m				D: Muster (1999)		MIT_GLA2.HTM
<i>Mitopus morio</i> (Fabricius, 1779)	V	m	m	lvh	m	1799 (see Stol 2000)			MIT_MOR2.HTM
<i>Nelima apenninica</i> Martens, 1969					m				
<i>Nelima doriae</i> (Canestrini, 1871)	N					by Tedeschi & Sciaky (1996) announced new for CH, as the record of Lessert (1917) is not included in Martens (1978)	CH: Lessert (1917)		
<i>Nelima gothica</i> Lohmander, 1945	V								NEL_GOT2.HTM
<i>Nelima semproni</i> Szalay, 1951	V		m						NEL_SEM2.HTM
<i>Nelima silvatica</i> (Simon, 1879)	V								NEL_SIL2.HTM
<i>Odiellus coronatus</i> (Roewer, 1911)				m					
<i>Odiellus spinosus</i> (Bosc, 1792)	V	m		lvh	m				ODI_SPI2.HTM
<i>Oligolophus hansenii</i> (Kraepelin, 1896)	V			lvh	m	O. hansenii			OLI_HAN2.HTM
<i>Oligolophus tridens</i> (C.L. Koch, 1836)	V	m	m	lvh	m				OLI_TRI2.HTM
<i>Opilio canestrinii</i> (Thorell, 1876)	V	m	k	lvh	N	O. ravennae auct.	NL: Van der Weele (1993)		OPI_CAN2.HTM
<i>Opilio dinaricus</i> Silhavy, 1938				m					
<i>Opilio parietinus</i> (De Geer, 1778)	V	N	m	lvh	m	old record in CH was uncertain (Martens 1978)	CH: Dumitrescu (1987)		OPI_PAR2.HTM
<i>Opilio ruzickai</i> Silhavy, 1938				m					
<i>Opilio saxatilis</i> C.L. Koch, 1839	V	m	m	lvh	m				OPI_SAX2.HTM
<i>Paroligolophus agrestis</i> (Meade, 1855)	V			lvh	m				PAR_AG32.HTM
<i>Phalangium opilio</i> Linnaeus, 1758	V	m	m	lvh	m				PHA_OPI2.HTM
<i>Platybunus bucephalus</i> (C.L. Koch, 1835)	V	m	m						PLA_BUC2.HTM
<i>Platybunus pinetorum</i> (C.L. Koch, 1839)	V	m	m	lvh	N		NL: Wijnhoven (1998a)		PLA_PIN2.HTM
<i>Rilaena triangularis</i> (Herbst, 1799)	V	m	m	lvh	m				RIL_TRI2.HTM

## Pseudoscorpiones

### Chthoniidae

<i>Chthonius</i> ( <i>Chthonius</i> ) <i>alpicola</i> Beier, 1951		h							
<i>Chthonius</i> ( <i>Chthonius</i> ) <i>baccettii</i> Callaini, 1980	N					CH: Callaini (1980)			
<i>Chthonius</i> ( <i>Chthonius</i> ) <i>comottii</i> Inzaghi, 1987	N					CH: De Vore-Scribante (1999) [sub "cf." too]			
<i>Chthonius</i> ( <i>Chthonius</i> ) <i>diphthalmus</i> Daday, 1888	V								CHT_DIO2.HTM

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Chthonius (Chthonius) ellingseni</i> Beier, 1928						h			
<i>Chthonius (Chthonius) ischnocheles</i> (Hermann, 1804)	V	h	h	hx	h				CHT_ISC2.HTM
<i>Chthonius (Chthonius) jugorum</i> Beier, 1952						h			
<i>Chthonius (Chthonius) lanzai</i> Caporiacco, 1947		N					CH: De Vore-Scribante (1999) [sub "cf."]		
<i>Chthonius (Chthonius) orthodactylus</i> (Leach, 1817)	V	N	h	hx			CH: De Vore-Scribante (1999)		CHT_ORT2.HTM
<i>Chthonius (Chthonius) pusillus</i> Beier, 1947						h			
<i>Chthonius (Chthonius) pygmaeus</i> Beier, 1934						h			
<i>Chthonius (Chthonius) pygmaeus carinthiacus</i> Beier, 1951						h			
<i>Chthonius (Chthonius) ressli</i> Beier, 1956		N	h				CH: De Vore-Scribante (1999)		
<i>Chthonius (Chthonius) submontanus</i> Beier, 1963	V	N	h				CH: De Vore-Scribante (1999)		CHT_SUB2.HTM
<i>Chthonius (Chthonius) tenuis</i> L. Koch, 1873	V	h	h	hx					CHT_TEN2.HTM
<i>Chthonius (Ephippiochthonius) austriacus</i> Beier, 1931	V		h			C. fuscimanus			CHT_AUS2.HTM
<i>Chthonius (Ephippiochthonius) beieri</i> Lazzeroni, 1966		N					CH: De Vore-Scribante (1999)		
<i>Chthonius (Ephippiochthonius) boldorii</i> Beier, 1934		N				C. austriacus b.	CH: Cotti (1989), De Vore-Scribante (1999)		
<i>Chthonius (Ephippiochthonius) elbanus</i> Beier, 1963		N					CH: Cotti (1989)		
<i>Chthonius (Ephippiochthonius) nidicola</i> Mahnert, 1979			h						
<i>Chthonius (Ephippiochthonius) parmensis</i> Beier, 1963	V	N	N				A & CH: Drogla (1990), A: Mahnert & Horak (1994)		CHT_PAR2.HTM
<i>Chthonius (Ephippiochthonius) poeninus</i> Mahnert, 1979			h						
<i>Chthonius (Ephippiochthonius) tetrachelatus</i> (Preyssler, 1790)	V	h	h	hx	h				CHT_TET2.HTM
<i>Chthonius (Ephippiochthonius) tuberculatus</i> Hadzi, 1937	V								CHT_TUB2.HTM
<i>Chthonius (Globochthonius) globifer</i> Simon, 1879			h						
<i>Mundochthonius alpinus</i> Beier, 1947						h			
<i>Mundochthonius styriacus</i> Beier, 1971	V	h	h						MUN_STY2.HTM
<b>Neobisiidae</b>									
<i>Microbisium brevifemoratum</i> (Ellingsen, 1903)	V	h	h	hx					MIC_BRE2.HTM
<i>Microbisium sueicum</i> Lohmander, 1945	V	h	h	hx					MIC_SUE2.HTM
<i>Neobisium (Blothrus) aueri</i> Beier, 1962						h			

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Neobisium (Neobisium) aelleni</i> Vachon, 1976			h						
<i>Neobisium (Neobisium) caporiaccoi</i> Heurtault-Rossi, 1966				N			A: Mahnert & Horak (1994)		
<i>Neobisium (Neobisium) carcinoides</i> (Hermann, 1804)	V	h	h	hx	h	N. nemorale			NEO_CAR2.HTM
<i>Neobisium (Neobisium) carinthiacum</i> Beier, 1939				h					
<i>Neobisium (Neobisium) crassifemoratum</i> (Beier, 1928)	V								NEO_CRA2.HTM
<i>Neobisium (Neobisium) doderoi</i> (Simon, 1896)		h	h						
<i>Neobisium (Neobisium) dolicodactylum</i> (Canestrini, 1874)				h					
<i>Neobisium (Neobisium) dolomiticum</i> Beier, 1952	V	N	h				CH: De Vore-Scribante (1999)		NEO_DOL2.HTM
<i>Neobisium (Neobisium) erythrodactylum</i> (L. Koch, 1873)	V		h						NEO_ERY2.HTM
<i>Neobisium (Neobisium) fuscimanum</i> (C.L. Koch, 1843)	V		h						NEO_FUS2.HTM
<i>Neobisium (Neobisium) galeatum</i> Beier, 1953			h						
<i>Neobisium (Neobisium) gineti</i> Vachon, 1966			h						
<i>Neobisium (Neobisium) helveticum</i> Heurtault, 1971			h						
<i>Neobisium (Neobisium) hermanni</i> Beier, 1938				h					
<i>Neobisium (Neobisium) jugorum</i> (L. Koch, 1873)		h	h						
<i>Neobisium (Neobisium) minimum</i> Beier, 1928		N	h				CH: Pronini (1989)		
<i>Neobisium (Neobisium) noricum</i> Beier, 1939			h						
<i>Neobisium (Neobisium) schenkeli</i> (Strand, 1932)			h						
<i>Neobisium (Neobisium) simile</i> (L. Koch, 1873)	V	h	h	hx	h				NEO_SIM2.HTM
<i>Neobisium (Neobisium) simoni</i> (L. Koch, 1873)	V	h	h	hx	h				NEO_SI22.HTM
<i>Neobisium (Neobisium) simoni petzi</i> Beier, 1939				h					
<i>Neobisium (Neobisium) strausaki</i> Vachon, 1966			h						
<i>Neobisium (Neobisium) sylvaticum</i> (C.L. Koch, 1835)	V		h	h					NEO_SYL2.HTM
<i>Roncus alpinus</i> L. Koch, 1873			h	h					
<i>Roncus carinthiacus</i> Beier, 1934				h					
<i>Roncus julianus</i> Capriacoco, 1949				h					
<i>Roncus lubricus</i> lubricus L. Koch, 1873	V	h	h	hx		status after Curcic et al. (1992); R. "lubricus" from D meanwhile determined as "s.str." (Drogl & Blick 1998)			RON_LUB2.HTM
<b>Syarinidae</b>									
<i>Pseudoblothrus strinati</i> Vachon, 1954			h						
<i>Pseudoblothrus thiebaudi</i> Vachon, 1969			h						

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
Syarinus strandi (Ellingsen, 1901)	V		h						SYA_STR2.HTM
<b>Larcidae</b>									
Larca lata (H.J. Hansen, 1884)	V		h						LAR_LAT2.HTM
<b>Cheiridiidae</b>									
Apocheiridium (Apocheiridium) ferum (Simon, 1879)	V	h	h						APO_AP2.HTM
Cheiridium museorum (Leach, 1817)	V	h	h	hx	h				CHE_MUS2.HTM
<b>Geogarypidae</b>									
Geogarypus minor (L. Koch, 1873)			h						
<b>Withiidae</b>									
Withius hispanus (L. Koch, 1873)			h						
Withius piger (Simon, 1878)	V	h	h		h				WIT_PIG2.HTM
<b>Cheliferidae</b>									
Beierochelifer peloponnesiacus (Beier, 1929)		N					CH: De Vore-Scribante (1999)		
Chelifer cancroides (Linnaeus, 1758)	V	h	h	hx	h				CHE_CAN2.HTM
Dactylochelifer latreillei (Leach, 1817)	V	h	h	hx	h				DAC_LAT2.HTM
Dactylochelifer latreillei septentrionalis Beier, 1932	N				h		D: Zimmermann (1935)		DAC_SEP2.HTM
Hystrochelifer tuberculatus (Lucas, 1849)			h						
Mesochelifer ressli Mahnert, 1981	V	h	h			Chelifer cancroides auct.			MES_RES2.HTM
Rhacochelifer peculiaris (L. Koch, 1873)		h	h						
<b>Chernetidae</b>									
Allocernes peregrinus Lohmander, 1939	V	N	h				CH: De Vore-Scribante (1999)		ALL_PER2.HTM
Allocernes powelli (Kew, 1916)	V	N	h	hx	h		CH: De Vore-Scribante (1999)		ALL_POW2.HTM
Allocernes wideri (C.L. Koch, 1843)	V	h	h	hx					ALL_WID2.HTM
Allocernes wideri phaleratus (Simon, 1879)		N					CH: De Vore-Scribante (1999)		
Anthrenochernes stellae Lohmander, 1939	V								ANT_STE2.HTM
Chernes beieri Harvey, 1991	V				1990				CHE_BEI2.HTM
Chernes cimicoides (Fabricius, 1793)	V	N	h	hx			CH: De Vore-Scribante (1999), Schmarda (1995 unpubl.)		CHE_CIM2.HTM
Chernes hahnii (C.L. Koch, 1839)	V	h	h	N	h	C. hahni	B: Henderickx & Vets (1999)		CHE_HAH2.HTM

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Chernes montigenus</i> (Simon, 1879)			h	h					
<i>Chernes nigrimanus</i> (Ellingsen, 1897)	V	h	h						CHE_NIG2.HTM
<i>Chernes similis</i> Beier, 1932				h					
<i>Chernes vicinus</i> (Beier, 1932)	V	N	h	hx			CH: De Vore-Scribante (1999), Schmarda (1995 unpubl.)		CHE_VIC2.HTM
<i>Dendrochernes cyrneus</i> (L. Koch, 1873)	V	N	h				CH: De Vore-Scribante (1999)		DEN_CYR2.HTM
<i>Dinocheirus panzeri</i> (C.L. Koch, 1837)	V	h	h	hx	h				DIN_PAN2.HTM
<i>Lamprochernes chyzeri</i> (Tömösváry, 1882)	V	h	h			1862 (lapsus)			LAM_CHY2.HTM
<i>Lamprochernes nodosus</i> (Schrank, 1803)	V	h	h	hx	h				LAM_NOD2.HTM
<i>Lasiochernes pilosus</i> (Ellingsen, 1910)	V	N	h	hx	h		CH: De Vore-Scribante (1999)		LAS_PIL2.HTM
<i>Pselaphochernes anachoreta</i> (Simon, 1878)			N				CH: De Vore-Scribante (1999)		
<i>Pselaphochernes dubius</i> (O. P.-Cambridge, 1892)	V			hx	h				PSE_DUB2.HTM
<i>Pselaphochernes scorpioides</i> (Hermann, 1804)	V	h	h	hx	h				PSE_SCO2.HTM

## Atemnidae

Atemnus politus (Simon, 1878)		h	h
-------------------------------	--	---	---

## Scorpiones

### Euscorpiidae

<i>Euscorpius alpha</i> Caporiacco, 1950	f		E. germanus alpha (see Gantenbein et al. 2000)	
<i>Euscorpius carpathicus</i> (Linnaeus, 1767)	f			
<i>Euscorpius gamma</i> Caporiacco, 1950	N		E. mingrelicus gamma, E. germanus "Karawankenform", Status nach Komposch & Scherabon (1999)	A: Scherabon et al. (2000), Komposch & Scherabon (1999)
<i>Euscorpius germanus</i> (C.L. Koch, 1837)	f	f		E. germanus germanus
<i>Euscorpius italicus</i> (Herbst, 1800)	f			

## Palpigradi

### Eukoeniidae

Eukoenia austriaca stinyi (Strouhal, 1936)	ch
--	----

Species	D	CH	A	B	NL	Notes	New Records	Distribution (Platnick)	URL
<i>Eukoenernia austriaca styriaca</i> Condé & Neuhertz, 1977				ch					
<i>Eukoenernia spelaea strouhalii</i> Condé, 1972				ch					
<i>Eukoenernia spelaea vagvoelgyii</i> (Szalay, 1956)				ch					